

5016 Pacific Highway Ferndale, WA98248 Phone: 1-888-443-3748 Fax: 1-360-650-1075



SAFETY DATA SHEET

Version: 1.0

Revision Date: 02/03/2020

1. Identification

Product identifier: 2P-10 ACTIVATOR (AEROSOL)

Other means of identification

SDS number: RE1000010167

Recommended restrictions Product use: Coating

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

FAST CAP. L.L.C. Company Name: Address: 5016 PACIFIC HWY. FERNDALE, WA 98248

1-888-443-3748

Telephone: Fax: 1-360-650-1075

Emergency telephone number: 888-740-8712

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol Category 1

Health Hazards

Serious Eye Damage/Eye Irritation Category 2A Skin sensitizer Category 1 Carcinogenicity Category 2 Specific Target Organ Toxicity -Category 31.

Single Exposure

Target Organs

Narcotic effect. 1.

Environmental Hazards

Acute hazards to the aquatic Category 3 environment

Label Elements

Hazard Symbol:



Signal Word: Danger

Revision Date: 02/03/2020

Hazard Statement: Extremely flammable aerosol.

Causes serious eye irritation.
May cause an allergic skin reaction.
Suspected of causing cancer.
May cause drowsiness or dizziness.

Harmful to aquatic life.

Precautionary Statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Use only outdoors or in a well-ventilated area. Avoid release to the environment.

Response: IF INHALED: Remove person to fresh air and keep comfortable for

breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water If skin irritation or rash occurs: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell. Specific treatment (see

on this label). Wash contaminated clothing before reuse.

Storage: Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F. Store locked up. Store in a well-ventilated place. Keep

container tightly closed.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Butane	106-97-8	20 - <50%
2-Propanone	67-64-1	20 - <50%
Propane	74-98-6	10 - <20%
Benzenamine, N,N,4-trimethyl-	99-97-8	1 - <5%
2-Propanol	67-63-0	0.1 - <1%
1,4-Benzenediol	123-31-9	0.1 - <1%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion: Rinse mouth thoroughly.

Inhalation: Move to fresh air.

Skin Contact: Destroy or thoroughly clean contaminated shoes. Immediately remove

contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical

attention.

Revision Date: 02/03/2020

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Get medical attention.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: No data available.

5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Methods and material for containment and cleaning up:

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

Notification Procedures: Prevent entry into waterways, sewer, basements or confined areas. Stop

> the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you

can do so without risk.

Environmental Precautions: Avoid release to the environment. Prevent further leakage or spillage if safe

to do so. Do not contaminate water sources or sewer.

Revision Date: 02/03/2020

7. Handling and storage

Precautions for safe handling:

Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with eyes, skin, and clothing.

Conditions for safe storage, including any incompatibilities:

Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 3

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure	Limit Values	Source
Butane	REL	800 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values (03 2018)
	TWA	800 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
2-Propanone	STEL	1,000 ppm	2,400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
·	PEL	1,000 ppm	2,400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	250 ppm		US. ACGIH Threshold Limit Values (03 2015)
	TWA	750 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	500 ppm		US. ACGIH Threshold Limit Values (03 2015)
	REL	250 ppm	590 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
Propane	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
PE	PEL	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
2-Propanol	STEL	500 ppm	1,225 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	200 ppm	-	US. ACGIH Threshold Limit Values (2008)
	REL	400 ppm	980 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	400 ppm	980 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	400 ppm	980 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	400 ppm		US. ACGIH Threshold Limit Values (2008)
	STEL	500 ppm	1,225 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
1,4-Benzenediol	Ceil_Time		2 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA		1 mg/m3	US. ACGIH Threshold Limit Values (2008)
	TWA		2 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	PEL		2 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
2-Propanone (acetone: Sampling time: End of shift.)	25 mg/l (Urine)	ACGIH BEL (03 2015)
2-Propanol (acetone: Sampling time: End of shift at end of work week.)	40 mg/l (Urine)	ACGIH BEL (03 2013)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Provide easy access to water supply and eye wash facilities. Good general

ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable

level.

Revision Date: 02/03/2020

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection

Hand Protection: No data available.

Other: Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

Hygiene measures: Observe good industrial hygiene practices. Wash hands before breaks and

immediately after handling the product. Avoid contact with eyes. When using do not smoke. Contaminated work clothing should not be allowed out

of the workplace. Avoid contact with skin.

9. Physical and chemical properties

Appearance

Physical state: liquid

Form:
Color:
No data available.
Odor:
No data available.
Odor threshold:
No data available.
No data available.
No data available.
Melting point/freezing point:
No data available.
Initial boiling point and boiling range:
No data available.

Flash Point: -104.44 °C

Evaporation rate:No data available.
Flammability (solid, gas):
No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available. Flammability limit - lower (%): No data available. Explosive limit - upper (%): No data available. Explosive limit - lower (%): No data available. Vapor pressure: No data available. Vapor density: No data available. **Density:** No data available. Relative density: No data available.

Solubility(ies)

Solubility in water:
Solubility (other):
No data available.
Partition coefficient (n-octanol/water):
No data available.
No data available.
No data available.
Decomposition temperature:
No data available.
Viscosity:
No data available.

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Revision Date: 02/03/2020

Possibility of hazardous

reactions:

No data available.

Conditions to avoid: Avoid heat or contamination.

Incompatible Materials: No data available.

Hazardous Decomposition

Products:

No data available.

11. Toxicological information

Information on likely routes of exposure

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix: 41,250 mg/kg

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

2-Propanone LD 50 (Rabbit): > 7,426 mg/kg

Benzenamine, N,N,4-

trimethyl-

LD 50 (Rabbit): > 2,000 mg/kg

2-Propanol LD 50: > 5,000 mg/kg

1,4-Benzenediol LD 50 (Rabbit): > 2,000 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Butane LC 50: > 100 mg/l

LC 50: > 100 mg/l

2-Propanone LC 50 (Rat): 50.1 mg/l

LC 50: > 5 mg/l

Propane LC 50: > 100 mg/l

LC 50: > 100 mg/l

Revision Date: 02/03/2020

Benzenamine, N,N,4-

trimethyl-

LC 50 (Rat): 1,400 mg/m3

2-Propanol LC 50: > 100 mg/l

LC 50: > 100 mg/l

Repeated dose toxicity

Product: No data available.

Specified substance(s):

Butane LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

2-Propanone NOAEL (Rat(Male), Oral, 13 Weeks): 10,000 ppm(m) Oral Experimental

result, Key study

Propane NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

Benzenamine, N,N,4-

trimethyl-

LOAEL (Rat(Female, Male), Oral): 201.7862 mg/kg Oral QSAR, Key study LOAEL (Rat(Female, Male), Inhalation): 67.28391 mg/kg Inhalation QSAR,

Key study

2-Propanol NOAEL (Rat, Inhalation, >= 104 Weeks): 5,000 ppm(m) Inhalation

Experimental result, Key study

1,4-Benzenediol LOAEL (Rat(Female), Oral, 65 - 104 Weeks): 25 mg/kg Oral Experimental

result, Key study

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

2-Propanone in vivo (Rabbit): Not irritant Experimental result, Supporting study

Benzenamine, N,N,4-

trimethyl-

in vivo (Rabbit): Not irritant QSAR, Key study

2-Propanol in vivo (Rabbit): Not Classified Experimental result, Key study

1,4-Benzenediol in vivo (Rabbit): Not irritant Experimental result, Weight of Evidence study

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

2-Propanone Irritating.

Rabbit, 24 hrs: Minimum grade of severe eye irritant

2-Propanol Rabbit, 1 d: Category 2: Causes serious eye irritation

Irritating.

Respiratory or Skin Sensitization

Product: No data available.

Specified substance(s):

2-Propanone Skin sensitization:, in vivo (Guinea pig): Non sensitising 2-Propanol Skin sensitization:, in vivo (Guinea pig): Non sensitising

Carcinogenicity

Product: No data available.

Specified substance(s):

1,4-Benzenediol Possible cancer hazard - may cause cancer based on animal data.

Revision Date: 02/03/2020

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Benzenamine, N,N,4- Overall evaluation: 2B. Possibly carcinogenic to humans.

trimethyl-

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specified substance(s):

2-Propanone Inhalation - vapor: Narcotic effect. - Category 3 with narcotic effects.

2-Propanol Narcotic effects. - Category 3 with narcotic effects.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Target Organs

Specific Target Organ Toxicity - Single Exposure: Narcotic effect.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

2-Propanone LC 50 (Oncorhynchus mykiss, 96 h): 5,540 mg/l Experimental result, Key

study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Benzenamine, N,N,4-

trimethyl-

LC 50 (Pimephales promelas, 96 h): 46 mg/l Experimental result, Key study

2-Propanol LC 50 (Pimephales promelas, 96 h): 9,640 mg/l Experimental result, Key

study

Revision Date: 02/03/2020

1,4-Benzenediol LC 50 (Oncorhynchus mykiss, 96 h): 0.638 mg/l Experimental result, Key

study

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

2-Propanone LC 50 (Daphnia pulex, 48 h): 8,800 mg/l Experimental result, Key study

Benzenamine, N,N,4-

trimethyl-

LC 50 (Daphnia magna, 48 h): 15.259 mg/l Estimated by calculation, Key

study

2-Propanol LC 50 (Daphnia magna, 24 h): > 10,000 mg/l Experimental result, Key study

1,4-Benzenediol EC 50 (Daphnia magna, 48 h): 0.134 mg/l Experimental result, Key study

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Benzenamine, N,N,4-

trimethyl-

LC 50 (Various): 24.892 mg/l Estimated by calculation, Key study

Aquatic Invertebrates

Product:

No data available.

Specified substance(s):

2-Propanone

LOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study NOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study

Toxicity to Aquatic Plants

Product:

No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study

2-Propanone 90.9 % (28 d) Detected in water. Experimental result, Key study

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study

50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

Benzenamine, N,N,4-

trimethyl-

 $50\ \%$ (38 d) Sediment Estimated by calculation, Key study

2-Propanol 53 % (5 d) Detected in water. Experimental result, Key study

1,4-Benzenediol 89 % (14 d) Sediment Experimental result, Supporting study

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Revision Date: 02/03/2020

Specified substance(s):

2-Propanone Haddock, adult, Bioconcentration Factor (BCF): 0.69 Aquatic sediment

Experimental result, Not specified

Benzenamine, N,N,4-

trimethyl-

Various, Bioconcentration Factor (BCF): 33 Aquatic sediment Estimated by

calculation, Key study

1,4-Benzenediol Green algae (Chlorella fusca vacuolata), Bioconcentration Factor (BCF): 65

(Static)

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Butane No data available.
2-Propanone No data available.
Propane No data available.
Benzenamine, N,N,4-trimethyl2-Propanol No data available.
1,4-Benzenediol No data available.
No data available.

Other adverse effects: Harmful to aquatic organisms.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated Packaging: No data available.

14. Transport information

DOT

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1
Label(s): —
Packing Group: II
Marine Pollutant: No

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

IMDG

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2 Label(s): –

EmS No.: F-D, S-U

Packing Group:

Environmental Hazards: Yes Marine Pollutant No

Special precautions for user: Not regulated.

Revision Date: 02/03/2020

IATA

UN Number: UN 1950

Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es):

Class: 2.1
Label(s): –

Packing Group: –

Environmental Hazards: Yes Marine Pollutant No

Special precautions for user: Not regulated.

Cargo aircraft only: Allowed.

15. Regulatory information

US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	Reportable quantity
Butane	lbs. 100
2-Propanone	lbs. 5000
Propane	lbs. 100
2-Propanol	lbs. 100
1,4-Benzenediol	lbs. 100

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Fire Hazard

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard

Flammable aerosol

Serious Eye Damage/Eye Irritation

Skin sensitizer Carcinogenicity

Specific Target Organ Toxicity - Single Exposure

SARA 302 Extremely Hazardous Substance

Chemical identity	Reportable quantity	Inreshold Planning Quantity
-------------------	---------------------	-----------------------------

2-Propanone

1,4-Benzenediol lbs. 100

SARA 304 Emergency Release Notification

Chemical Identity	Reportable quantity
Butane	lbs. 100
2-Propanone	lbs. 5000
Propane	lbs. 100
2-Propanol	lbs. 100
1,4-Benzenediol	lbs. 100

Revision Date: 02/03/2020

SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
1,4-Benzenediol	lbs
Butane	10000 lbs
2-Propanone	10000 lbs
Propane	10000 lbs
Benzenamine, N,N,4-trimethyl-	10000 lbs
2-Propanol	10000 lbs

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Benzenamine, N,N,4- Carcinogenic. 06 2014 trimethyl-

US. New Jersey Worker and Community Right-to-Know Act Chemical Identity

Butane

2-Propanone

Propane

US. Massachusetts RTK - Substance List

Chemical Identity

1,4-Benzenediol

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Butane

2-Propanone

Propane

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

2-Propanone

Stockholm convention

2-Propanone

Rotterdam convention

2-Propanone

Kyoto protocol

Revision Date: 02/03/2020

Inventory Status:

Australia AICS: On or in compliance with the inventory

Canada DSL Inventory List: On or in compliance with the inventory

Canada NDSL Inventory: Not in compliance with the inventory.

Ontario Inventory:

On or in compliance with the inventory

China Inv. Existing Chemical Substances: On or in compliance with the inventory

Japan (ENCS) List: On or in compliance with the inventory

Japan ISHL Listing: On or in compliance with the inventory

Japan Pharmacopoeia Listing: Not in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory

Mexico INSQ: On or in compliance with the inventory

New Zealand Inventory of Chemicals:

On or in compliance with the inventory

Philippines PICCS: On or in compliance with the inventory

Taiwan Chemical Substance Inventory: On or in compliance with the inventory

US TSCA Inventory: On or in compliance with the inventory

EINECS, ELINCS or NLP: Not in compliance with the inventory.

16.Other information, including date of preparation or last revision

Issue Date: 02/03/2020

Revision Information: No data available.

Version #: 1.0

Further Information: No data available.

Disclaimer: This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.