



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name **Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol**  
Alternative number(s) 071153785601, 071153003507, 071153785618,  
071153174184, 071153191136

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

#### 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.  
25225 Detroit Rd.  
Westlake OH 44145  
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)  
Website: <http://data.energizer.com>

Energizer Trading Ltd.  
Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376  
e-mail: [ConsumerServiceEU@energizer.com](mailto:ConsumerServiceEU@energizer.com)

#### 1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727  
This number is only available during the following  
office hours: Mon-Fri 09:00 AM - 05:00 PM

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
B.3	flammable aerosol	2	Flam. Aerosol 2	H223
B.5	gases under pressure	C	Press. Gas C	H280

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Contains gas under pressure; may explode if heated.

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS02, GHS04



- Hazard statements

H223 Flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Pressurized container: Do not pierce or burn, even after use.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

### 2.3 Other hazards

Hazards not otherwise classified

Harmful to aquatic life (GHS category 3: aquatic toxicity - acute).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.


## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures






Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
isobutane	CAS No 75-28-5	1 - < 5	Flam. Gas 1 / H220 Press. Gas C / H280	

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
2-butoxyethanol	CAS No 111-76-2	1 - < 5	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Flam. Liq. 4 / H227	
Alcohols, C12-15, ethoxyylated	CAS No 68131-39-5	1 - < 5	Flam. Liq. 3 / H226	
disodium metasilicate	CAS No 6834-92-0	< 1	Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Corr. 1B / H314 STOT SE 3 / H335	
sodium nitrite	CAS No 7632-00-0	< 1	Acute Tox. 3 / H301 Ox. Sol. 3 / H272	
morpholine	CAS No 110-91-8	< 1	Acute Tox. 4 / H302 Acute Tox. 3 / H311 Acute Tox. 4 / H332 Skin Corr. 1B / H314 Flam. Liq. 3 / H226	

For full text of abbreviations: see SECTION 16.

### SECTION 4: First-aid measures

#### 4.1 Description of first-aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

##### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

##### Following skin contact

Thaw frosted parts with lukewarm water. Do not rub affected area.

##### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder

Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

Contact with the product can cause burns and/or frostbite. Contains gas under pressure; may explode if heated.

Hazardous combustion products

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation  
Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.

Managing of associated risks

- Flammability hazards  
Do not spray on an open flame or other ignition source. Protect from sunlight.

Control of the effects

Protect against external exposure, such as

Frost

- Packaging compatibilities  
Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
US	morpholine	110-91-8	REL	20 (10 h)	70 (10 h)	30	105				NIOSH REL
US	morpholine	110-91-8	TLV®	20							AC-GIH® 2019



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
US	morpholine	110-91-8	PEL	20	70						29 CFR 1910.1000
US	morpholine (tetrahydro-2H-1,4-oxazine)	110-91-8	PEL (CA)	20	70	30	105				Cal/OSHA PEL
US	2-butoxyethanol	111-76-2	REL	5 (10 h)	24 (10 h)						NIOSH REL
US	2-butoxyethanol	111-76-2	TLV®	20							ACGIH® 2019
US	2-butoxyethanol	111-76-2	PEL	50	240						29 CFR 1910.1000
US	2-butoxyethanol (EGBE) (glycol monobutyl ether)	111-76-2	PEL (CA)	20	97						Cal/OSHA PEL
US	isobutane	75-28-5	REL	800 (10 h)	1,900 (10 h)						NIOSH REL
US	isobutane	75-28-5	TLV®			1,000				E	ACGIH® 2019

#### Notation

Ceiling-C

ceiling value is a limit value above which exposure should not occur

E

explosive

STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

### Biological limit values

Country	Name of agent	Parameter	Notation	Identifier	Value	Source
US	2-butoxyethanol	Butoxyacetic acid (BAA)	hydr, crea	BEI®	200 mg/g	ACGIH® 2019

#### Notation

crea

creatinine

hydr

hydrolysis



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
2-butoxyethanol	111-76-2	DNEL	98 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
2-butoxyethanol	111-76-2	DNEL	1,091 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
2-butoxyethanol	111-76-2	DNEL	246 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
2-butoxyethanol	111-76-2	DNEL	125 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
2-butoxyethanol	111-76-2	DNEL	89 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Alcohols, C12-15, ethoxylated	68131-39-5	DNEL	294 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Alcohols, C12-15, ethoxylated	68131-39-5	DNEL	2,080 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
sodium nitrite	7632-00-0	DNEL	2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
sodium nitrite	7632-00-0	DNEL	2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
morpholine	110-91-8	DNEL	91 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
morpholine	110-91-8	DNEL	36 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
morpholine	110-91-8	DNEL	72 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
morpholine	110-91-8	DNEL	1.04 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
2-butoxyethanol	111-76-2	PNEC	9.1 mg/l	aquatic organisms	water	intermittent release
2-butoxyethanol	111-76-2	PNEC	8.8 mg/l	aquatic organisms	freshwater	short-term (single instance)
2-butoxyethanol	111-76-2	PNEC	0.88 mg/l	aquatic organisms	marine water	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
2-butoxyethanol	111-76-2	PNEC	463 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
2-butoxyethanol	111-76-2	PNEC	34.6 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
2-butoxyethanol	111-76-2	PNEC	3.46 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
2-butoxyethanol	111-76-2	PNEC	2.33 mg/kg	terrestrial organisms	soil	short-term (single instance)
Alcohols, C12-15, ethoxylated	68131-39-5	PNEC	0.051 mg/l	aquatic organisms	freshwater	short-term (single instance)
Alcohols, C12-15, ethoxylated	68131-39-5	PNEC	0.005 mg/l	aquatic organisms	marine water	short-term (single instance)
Alcohols, C12-15, ethoxylated	68131-39-5	PNEC	10 g/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Alcohols, C12-15, ethoxylated	68131-39-5	PNEC	81.64 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Alcohols, C12-15, ethoxylated	68131-39-5	PNEC	8.16 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Alcohols, C12-15, ethoxylated	68131-39-5	PNEC	1 mg/kg	terrestrial organisms	soil	short-term (single instance)
sodium nitrite	7632-00-0	PNEC	0.0054 mg/l	aquatic organisms	freshwater	short-term (single instance)
sodium nitrite	7632-00-0	PNEC	0.00616 mg/l	aquatic organisms	marine water	short-term (single instance)
sodium nitrite	7632-00-0	PNEC	21 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
sodium nitrite	7632-00-0	PNEC	0.0195 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
sodium nitrite	7632-00-0	PNEC	0.0223 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
sodium nitrite	7632-00-0	PNEC	0.000733 mg/kg	terrestrial organisms	soil	short-term (single instance)
sodium nitrite	7632-00-0	PNEC	0.0054 mg/l	aquatic organisms	water	intermittent release
morpholine	110-91-8	PNEC	0.163 mg/l	aquatic organisms	freshwater	short-term (single instance)





# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
morpholine	110-91-8	PNEC	0.016 mg/l	aquatic organisms	marine water	short-term (single instance)
morpholine	110-91-8	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
morpholine	110-91-8	PNEC	1.83 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
morpholine	110-91-8	PNEC	0.183 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
morpholine	110-91-8	PNEC	0.269 mg/kg	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

##### Eye/face protection

Wear eye/face protection.

##### Skin protection

##### - Hand protection

Wear protective gloves.

##### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

##### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### Appearance

Physical state	aerosol (foam aerosol)
Color	various
Odor	characteristic

##### Other safety parameters

pH (value)	not determined
Melting point/freezing point	-187.6 °C at 1,013 hPa
Initial boiling point and boiling range	-161.5 °C at 1,013 hPa
Flash point	-83 °C
Evaporation rate	not determined
Flammability (solid, gas)	flammable aerosol in accordance with GHS criteria

##### Explosive limits

- Lower explosion limit (LEL)	5 vol%
- Upper explosion limit (UEL)	15 vol%

Vapor pressure	0.8 hPa at 20 °C
Density	not determined
Vapor density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined

##### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
-----------------------------	-----------------------------------



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

Auto-ignition temperature	
Viscosity	not relevant (aerosol)
Explosive properties	none
Oxidizing properties	none

### 9.2 Other information

Propellant content	4 %
--------------------	-----

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Gas under pressure. Risk of ignition.

If heated:

Danger of explosion, Gas under pressure, Danger of bursting container

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. Keep away from heat.

Hints to prevent fire or explosion

Protect from sunlight.

### 10.5 Incompatible materials

Oxidizers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

##### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

##### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

##### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
2-butoxyethanol	111-76-2	oral	1,414 mg/kg
2-butoxyethanol	111-76-2	inhalation: vapor	11 mg/l/4h
disodium metasilicate	6834-92-0	oral	770 mg/kg
disodium metasilicate	6834-92-0	inhalation: vapor	2.06 mg/l/4h
disodium metasilicate	6834-92-0	inhalation: dust/mist	0.5 mg/l/4h
sodium nitrite	7632-00-0	oral	100 mg/kg
morpholine	110-91-8	oral	1,900 mg/kg
morpholine	110-91-8	dermal	500 mg/kg
morpholine	110-91-8	inhalation: vapor	11 mg/l/4h

##### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

##### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

##### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

##### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

##### Carcinogenicity

Shall not be classified as carcinogenic.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
2-butoxyethanol	111-76-2	3	
morpholine	110-91-8	3	

#### Legend

3 Not classifiable as to carcinogenicity in humans

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Harmful to aquatic life.

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
isobutane	75-28-5	LC50	49.9 mg/l	fish	96 h
isobutane	75-28-5	EC50	19.37 mg/l	algae	96 h
2-butoxyethanol	111-76-2	LC50	1,474 mg/l	fish	96 h
2-butoxyethanol	111-76-2	EC50	1,550 mg/l	aquatic invertebrates	48 h
2-butoxyethanol	111-76-2	ErC50	1,840 mg/l	algae	72 h
Alcohols, C12-15, ethoxylated	68131-39-5	EC50	0.14 mg/l	aquatic invertebrates	48 h
Alcohols, C12-15, ethoxylated	68131-39-5	ErC50	0.75 mg/l	algae	72 h
disodium metasilicate	6834-92-0	LC50	310 mg/l	fish	96 h
disodium metasilicate	6834-92-0	EC50	1,700 mg/l	aquatic invertebrates	48 h



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sodium nitrite	7632-00-0	LC50	26.3 mg/l	fish	96 h
sodium nitrite	7632-00-0	EC50	15.4 mg/l	aquatic invertebrates	48 h
sodium nitrite	7632-00-0	ErC50	>100 mg/l	algae	72 h
morpholine	110-91-8	LC50	380 mg/l	fish	96 h
morpholine	110-91-8	EC50	44.5 mg/l	aquatic invertebrates	48 h
morpholine	110-91-8	ErC50	9 mg/l	algae	72 h

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

### SECTION 14: Transport information

<b>14.1 UN number</b>	1950
<b>14.2 UN proper shipping name</b>	Aerosols
<b>14.3 Transport hazard class(es)</b>	
Class	2.1 (gases) (aerosol) (flammable)
<b>14.4 Packing group</b>	not assigned to a packing group
<b>14.5 Environmental hazards</b>	non-environmentally hazardous acc. to the dangerous goods regulations
<b>14.6 Special precautions for user</b>	
There is no additional information.	
<b>14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code</b>	
The cargo is not intended to be carried in bulk.	

#### Information for each of the UN Model Regulations

DOT

#### **Transport of dangerous goods by road or rail (49 CFR US DOT)**

Index number	1950
Proper shipping name	Aerosols
- Particulars in the shipper's declaration	UN1950, Aerosols, 2.1
- Reportable quantity (RQ)	20,833 lbs (9,458 kg) (sodium nitrite) (1,4-dioxane)
Class	2.1
Danger label(s)	2.1



Special provisions (SP)	N82
ERG No	126

#### **International Maritime Dangerous Goods Code (IMDG)**

UN number	1950
Proper shipping name	AEROSOLS
- Particulars in the shipper's declaration	UN1950, AEROSOLS, 2.1, -83°C c.c.
Class	2.1
Marine pollutant	-





# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

Danger label(s)	2.1
	
Special provisions (SP)	63, 190, 277, 327, 344, 381, 959
Excepted quantities (EQ)	E0
Limited quantities (LQ)	1 L
EmS	F-D, S-U
Stowage category	-
<b>International Civil Aviation Organization (ICAO-IATA/DGR)</b>	
UN number	1950
Proper shipping name	Aerosols, flammable
- Particulars in the shipper's declaration	UN1950, Aerosols, flammable, 2.1
Class	2.1
Danger label(s)	2.1
	
Special provisions (SP)	A145, A167
Excepted quantities (EQ)	E0
Limited quantities (LQ)	30 kg

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations specific for the product in question

##### National regulations (United States)

##### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings

Name of substance	CAS No	Remarks	Effective date
sodium nitrite	7632-00-0		1995-01-01





# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
sodium nitrite	7632-00-0		1	100 (45,4)

Legend

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

### Clean Air Act

Name of substance	CAS No	Type of registration	Basis for listing	Threshold quantity (lbs)
isobutane	75-28-5	Flammable substance	f	10000

Legend

f Flammable gas.

### Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	Name acc. to inventory	CAS No	Functionality	Authoritative Lists
Isobutane	Isobutane	75-28-5	propellant	EC Annex VI CMRs - Cat. 1A EC Annex VI CMRs - Cat. 1B
2-Butoxyethanol	2-Butoxyethanol, Ethylene glycol monobutyl ether (EGBE)	111-76-2		OEHHA RELs
Alcohols, C12-15, ethoxylated		68131-39-5	surfactant	
Disodium metasilicate		6834-92-0	pH Adjuster	
Sodium nitrite		7632-00-0	preservative	
Morpholine		110-91-8	corrosion inhibitor	
Sodium Lauryl Ether Sulfate		68585-34-2	surfactant	
Sodium chloride		7647-14-5	preservative	
Sodium sulfate		7757-82-6	filler	



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

### - Toxic or Hazardous Substance List (MA-TURA)

Name of substance	Name acc. to inventory	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Thres hold	De Minimis Concentration Threshold
2-butoxyethanol	Glycol Ethers		1022			1.0 %
sodium nitrite	Sodium nitrite	7632-00-0				1.0 %

### - Hazardous Substances List (MN-ERTK)

Name of substance	Name acc. to inventory	CAS No	References	Remarks
2-butoxyethanol	2-Butoxyethanol(EGBE)	111-76-2	A, O	skin
isobutane	Alkanes		N	

#### Legend

- A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH
- N National Institute for Occupational Safety and Health (NIOSH), "Recommendations for Occupational Safety and Health Standards," August 1988, available from NIOSH, Publications Dissemination Office, Division of Standards Development and Technology Transfer
- O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division
- skin If a potential for absorption from skin contact merits special consideration, the word "skin" follows the substance name.

### - Hazardous Substance List (NJ-RTK)

Name of substance	Name acc. to inventory	CAS No	Remarks	Classifications
2-butoxyethanol	2-butoxyethanol (butyl cello-solve)	111-76-2		CA F2
morpholine	morpholine	110-91-8		CO F3 R1
isobutane	isobutane (propane, 2-methyl-)	75-28-5		F4
sodium nitrite	sodium nitrite	7632-00-0		

#### Legend

- CA Carcinogenic
- CO Corrosive
- F2 Flammable - Second Degree
- F3 Flammable - Third Degree
- F4 Flammable - Fourth Degree
- R1 Reactive - First Degree



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

### - Hazardous Substance List (Chapter 323) (PA-RTK)

Name of substance	Name acc. to inventory	CAS No	Classification
2-butoxyethanol	ETHANOL, 2-BUTOXY-	111-76-2	
isobutane	PROPANE, 2-METHYL-	75-28-5	
sodium nitrite	NITROUS ACID, SODIUM SALT	7632-00-0	E

Legend

E Environmental hazard

### - Hazardous Substance List (RI-RTK)

Name of substance	Name acc. to inventory	CAS No	References
2-butoxyethanol	2-Butoxyethanol	111-76-2	T
morpholine	Morpholine	110-91-8	T, F
isobutane	Butane	106-97-8	T, F

Legend

F Flammability (NFPA®)  
T Toxicity (ACGIH®)

### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals			
Name acc. to inventory	CAS No	Remarks	Type of the toxicity
ethylene glycol monomethyl ether	109-86-4		developmental, male
1,4-dioxane	123-91-1		cancer

### Industry or sector specific available guidance(s)

#### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	0	no significant risk to health
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

Category	Rating	Description
Personal protection	-	

### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

### National inventories

Country	Inventory	Status
AU	AICS	not all ingredients are listed
CA	DSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	not all ingredients are listed
US	TSCA	not all ingredients are listed

#### Legend

AICS Australian Inventory of Chemical Substances  
CICR Chemical Inventory and Control Regulation  
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)  
DSL Domestic Substances List (DSL)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

### Legend

ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information, including date of preparation or last revision

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
9.1	Melting point/freezing point: -159.4 °C	Melting point/freezing point: -187.6 °C at 1,013 hPa	yes
9.1	Lower explosion limit (LEL): 3 vol%	Lower explosion limit (LEL): 5 vol%	yes
9.1	Upper explosion limit (UEL): 12.5 vol%	Upper explosion limit (UEL): 15 vol%	yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: <a href="http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement">http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement</a>
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LHS	Lower hazard substance
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NFPA®	National Fire Protection Association (United States)
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

Abbr.	Descriptions of used abbreviations
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
Ox. Sol.	Oxidizing solid
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Press. Gas	Gas under pressure
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H220	Extremely flammable gas.
H223	Flammable aerosol.
H226	Flammable liquid and vapor.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Tuff Stuff Multi-Purpose Foam Cleaner - Aerosol

Version number: GHS 11.0  
Replaces version of: 2020-10-21 (GHS 10)

Revision: 2020-10-27

Code	Text
H227	Combustible liquid.
H272	May intensify fire; oxidizer.
H280	Contains gas under pressure; may explode if heated.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.