



## Safety Data Sheet

Copyright, 2017 Meguiar's, Inc.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |           |                         |          |
|------------------------|-----------|-------------------------|----------|
| <b>Document Group:</b> | 27-5146-9 | <b>Version Number:</b>  | 5.01     |
| <b>Issue Date:</b>     | 03/23/17  | <b>Supersedes Date:</b> | 05/19/14 |

### SECTION 1: Identification

#### 1.1. Product identifier

G70, Gold Class Paste Car Wax (21-124A): G7014

#### Product Identification Numbers

14-1000-0910-0, 14-1000-0911-8, 14-1000-0912-6, 14-1000-0913-4, 14-1000-0915-9, 14-1000-0918-3

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Automotive, Wax

#### 1.3. Supplier's details

|                      |   |
|----------------------|---|
| <b>MANUFACTURER:</b> | Meguiar's, Inc.                             |
| <b>DIVISION:</b>     | Meguiar's                                   |
| <b>ADDRESS:</b>      | 17991 Mitchell South, Irvine, CA 92614, USA |
| <b>Telephone:</b>    | 949-752-8000 (Fax: 949-752-5784)            |

#### 1.4. Emergency telephone number

CHEMTREC 1-800-424-9300 (24 hours)

### SECTION 2: Hazard identification

The label elements below were prepared in accordance with OSHA Hazard Communication Standard, 29 CFR 1910.1200. This information may be different from the actual product label information for labels regulated by other agencies.

#### 2.1. Hazard classification

Flammable Solid: Category 1.  
Skin Corrosion/Irritation: Category 2.  
Carcinogenicity: Category 2.  
Specific Target Organ Toxicity (single exposure): Category 3.

#### 2.2. Label elements

Signal word

Danger

**Symbols**

Flame | Exclamation mark | Health Hazard |

**Pictograms****Hazard Statements**

Flammable solid.

Causes skin irritation.

May cause drowsiness or dizziness.

Suspected of causing cancer.

**Precautionary Statements****General:**

Keep out of reach of children.

**Prevention:**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves and eye/face protection.

Wash thoroughly after handling.

**Response:**

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Call a POISON CENTER or doctor/physician if you feel unwell.

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

**Storage:**

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

**Disposal:**

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

**2.3. Hazards not otherwise classified**

None.

13% of the mixture consists of ingredients of unknown acute oral toxicity.

26% of the mixture consists of ingredients of unknown acute dermal toxicity.

53% of the mixture consists of ingredients of unknown acute inhalation toxicity.

**SECTION 3: Composition/information on ingredients**

| Ingredient  | C.A.S. No.    | % by Wt                  |
|---|---------------|--------------------------|
| Petroleum Distillate  | 64742-48-9    | 30 - 60 Trade Secret *   |
| Organic Salt (NJTSRN 04499600-6842)                                 | Trade Secret* | 10 - 30 Trade Secret *   |
| Kaolin, calcined  | 92704-41-1    | 7 - 13 Trade Secret *    |
| Poly(Dimethylsiloxane)  | 63148-62-9    | 7 - 13 Trade Secret *    |
| Fatty Acids, montan-wax, ethylene esters                            | 73138-45-1    | 1 - 10 Trade Secret *    |
| Petroleum Distillate  | 64742-47-8    | 5 - 10 Trade Secret *    |
| Montan-Wax Fatty Acids  | 68476-03-9    | 1 - 5 Trade Secret *     |
| Bis(Hydrogenated Tallow Alkyl)Dimethylammonium Salts with Bentonite | 68953-58-2    | 0.5 - 1.5 Trade Secret * |
| Glycerol Poly(Oxyethylene, Oxypropylene) Ether                      | 9082-00-2     | 0.5 - 1.5 Trade Secret * |
| Anatase Titanium Dioxide  | 1317-70-0     | < 0.5 Trade Secret *     |

NJTS or NJTSRN: New Jersey Trade Secret Registry Number.

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

**SECTION 4: First aid measures****4.1. Description of first aid measures****Inhalation:**

Remove person to fresh air. If you feel unwell, get medical attention.

**Skin Contact:**

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

**Eye Contact:**

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

**If Swallowed:**

Rinse mouth. If you feel unwell, get medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

See Section 11.1. Information on toxicological effects.

**4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

**SECTION 5: Fire-fighting measures****5.1. Suitable extinguishing media**

In case of fire: Use a carbon dioxide or dry chemical extinguisher to extinguish.

**5.2. Special hazards arising from the substance or mixture**

None inherent in this product.

**Hazardous Decomposition or By-Products**

| <u>Substance</u>         | <u>Condition</u>  |
|--------------------------|-------------------|
| Aldehydes                | During Combustion |
| Formaldehyde             | During Combustion |
| Carbon monoxide          | During Combustion |
| Carbon dioxide           | During Combustion |
| Irritant Vapors or Gases | During Combustion |
| Oxides of Nitrogen       | During Combustion |

**5.3. Special protective actions for fire-fighters**

No special protective actions for fire-fighters are anticipated.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

**6.2. Environmental precautions**

Avoid release to the environment.

**6.3. Methods and material for containment and cleaning up**

Collect as much of the spilled material as possible using non-sparking tools. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

Do not use in a confined area with minimal air exchange. Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.) Wear low static or properly grounded shoes. Use personal protective equipment (gloves, respirators, etc.) as required. To minimize the risk of ignition, determine applicable electrical classifications for the process using this product and select specific local exhaust ventilation equipment to avoid flammable vapor accumulation. Ground/bond container and receiving equipment if there is potential for static electricity accumulation during transfer.

**7.2. Conditions for safe storage including any incompatibilities**

Store in a well-ventilated place. Keep container tightly closed. Store away from heat. Store away from acids. Store away from oxidizing agents.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | C.A.S. No. | Agency | Limit type | Additional Comments |
|------------|------------|--------|------------|---------------------|
|------------|------------|--------|------------|---------------------|

|                       |            |                         |  |                                    |
|-----------------------|------------|-------------------------|--|------------------------------------|
| Titanium oxide (TiO2) | 1317-70-0  | ACGIH                   | TWA:10 mg/m3   | A4: Not class. as human carcin     |
| Titanium oxide (TiO2) | 1317-70-0  | OSHA                    | TWA(as total dust):15 mg/m3                            |                                    |
| Naphtha               | 64742-47-8 | OSHA                    | TWA:400 mg/m3(100 ppm)                                 |                                    |
| Kerosine (petroleum)  | 64742-47-8 | ACGIH                   | TWA(as total hydrocarbon vapor, non-aerosol):200 mg/m3 | A3: Confirmed animal carcin., SKIN |
| Petroleum Distillate  | 64742-48-9 | Manufacturer determined | TWA:100 ppm  |                                    |
| Naphtha               | 64742-48-9 | OSHA                    | TWA:400 mg/m3(100 ppm)                                 |                                    |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

## 8.2. Exposure controls

### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment. Use explosion-proof ventilation equipment.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

None required.

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended: Neoprene

#### Respiratory protection

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection. An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**General Physical Form:**

Solid

**Specific Physical Form:**

Paste

**Odor, Color, Grade:**

Pleasant odor; Cream-colored paste

**Odor threshold**

*No Data Available*

**pH**

*Not Applicable*

|  |   |
|--|---|
| <b>Melting point</b>                                 | <i>Not Applicable</i>                             |
| <b>Boiling Point</b>                                 | 365 °F  |
| <b>Flash Point</b>                                   | >= 200 °F [Test Method:Pensky-Martens Closed Cup] |
| <b>Evaporation rate</b>                              | <i>No Data Available</i>                          |
| <b>Flammability (solid, gas)</b>                     | Flammable Solid: Category 1.                      |
| <b>Flammable Limits(LEL)</b>                         | <i>No Data Available</i>                          |
| <b>Flammable Limits(UEL)</b>                         | <i>No Data Available</i>                          |
| <b>Vapor Density</b>                                 | <i>No Data Available</i>                          |
| <b>Density</b>                                       | 0.85 g/cm <sup>3</sup>                            |
| <b>Specific Gravity</b>                              | 0.85 [Ref Std:WATER=1]                            |
| <b>Solubility in Water</b>                           | Nil   |
| <b>Solubility- non-water</b>                         | <i>No Data Available</i>                          |
| <b>Partition coefficient: n-octanol/ water</b>       | <i>No Data Available</i>                          |
| <b>Autoignition temperature</b>                      | <i>No Data Available</i>                          |
| <b>Decomposition temperature</b>                     | <i>No Data Available</i>                          |
| <b>Viscosity</b>                                     | <i>No Data Available</i>                          |
| <b>Molecular weight</b>                              | <i>No Data Available</i>                          |
| <b>Volatile Organic Compounds</b>                    | 44.60 % weight                                    |
| <b>VOC Less H<sub>2</sub>O &amp; Exempt Solvents</b> | 440.98 g/l  |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Heat

Sparks and/or flames

### 10.5. Incompatible materials

Strong acids

Strong oxidizing agents

### 10.6. Hazardous decomposition products

#### Substance

None known.

#### Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

## 11.1. Information on Toxicological effects

### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

May be harmful if inhaled.

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

May cause additional health effects (see below).

#### Skin Contact:

May be harmful in contact with skin.

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.

#### Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

May cause additional health effects (see below).

### Additional Health Effects:

#### Single exposure may cause target organ effects:

Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

#### Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

| Ingredient               | CAS No.   | Class Description             | Regulation                                  |
|--------------------------|-----------|-------------------------------|---|
| Anatase Titanium Dioxide | 1317-70-0 | Grp. 2B: Possible human carc. | International Agency for Research on Cancer |

### Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

| Name                                     | Route                  | Species | Value  |
|--|------------------------|---------|--|
| Overall product                          | Dermal                 |         | No data available; calculated ATE2,000 - 5,000 mg/kg |
| Overall product                          | Inhalation-Vapor(4 hr) |         | No data available; calculated ATE20 - 50 mg/l        |
| Overall product                          | Ingestion              |         | No data available; calculated ATE >5,000 mg/kg       |
| Petroleum Distillate                     | Inhalation-Vapor       |         | LC50 estimated to be 20 - 50 mg/l                    |
| Petroleum Distillate                     | Dermal                 | Rabbit  | LD50 > 3,000 mg/kg                                   |
| Petroleum Distillate                     | Ingestion              | Rat     | LD50 > 5,000 mg/kg                                   |
| Poly(Dimethylsiloxane)                   | Dermal                 | Rabbit  | LD50 > 19,400 mg/kg                                  |
| Poly(Dimethylsiloxane)                   | Ingestion              | Rat     | LD50 > 17,000 mg/kg                                  |
| Kaolin, calcined                         | Dermal                 |         | LD50 estimated to be 2,000 - 5,000 mg/kg             |
| Kaolin, calcined                         | Ingestion              | Rat     | LD50 > 2,000 mg/kg                                   |
| Fatty Acids, montan-wax, ethylene esters | Dermal                 |         | LD50 estimated to be > 5,000 mg/kg                   |

|   |                                |        |                                    |
|---|--------------------------------|--------|------------------------------------|
| Fatty Acids, montan-wax, ethylene esters                            | Ingestion                      | Rat    | LD50 > 2,000 mg/kg                 |
| Petroleum Distillate  | Dermal                         | Rabbit | LD50 > 3,160 mg/kg                 |
| Petroleum Distillate  | Inhalation-Dust/Mist (4 hours) | Rat    | LC50 > 3 mg/l                      |
| Petroleum Distillate  | Ingestion                      | Rat    | LD50 > 5,000 mg/kg                 |
| Montan-Wax Fatty Acids  | Dermal                         |        | LD50 estimated to be > 5,000 mg/kg |
| Montan-Wax Fatty Acids  | Ingestion                      | Rat    | LD50 > 15,000 mg/kg                |
| Glycerol Poly(Oxyethylene, Oxypropylene) Ether                      | Dermal                         | Rabbit | LD50 > 5,000 mg/kg                 |
| Glycerol Poly(Oxyethylene, Oxypropylene) Ether                      | Ingestion                      | Rat    | LD50 > 10,000 mg/kg                |
| Bis(Hydrogenated Tallow Alkyl)Dimethylammonium Salts with Bentonite | Dermal                         |        | LD50 estimated to be > 5,000 mg/kg |
| Bis(Hydrogenated Tallow Alkyl)Dimethylammonium Salts with Bentonite | Inhalation-Dust/Mist (4 hours) | Rat    | LC50 > 12.6 mg/l                   |
| Bis(Hydrogenated Tallow Alkyl)Dimethylammonium Salts with Bentonite | Ingestion                      | Rat    | LD50 > 5,000 mg/kg                 |
| Anatase Titanium Dioxide  | Dermal                         | Rabbit | LD50 > 10,000 mg/kg                |
| Anatase Titanium Dioxide  | Inhalation-Dust/Mist (4 hours) | Rat    | LC50 > 6.82 mg/l                   |
| Anatase Titanium Dioxide  | Ingestion                      | Rat    | LD50 > 10,000 mg/kg                |

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

| Name  | Species | Value                     |
|---|---------|---------------------------|
| Petroleum Distillate  | Rabbit  | Irritant                  |
| Poly(Dimethylsiloxane)  | Rabbit  | No significant irritation |
| Petroleum Distillate  | Rabbit  | Mild irritant             |
| Bis(Hydrogenated Tallow Alkyl)Dimethylammonium Salts with Bentonite | Rat     | No significant irritation |
| Anatase Titanium Dioxide  | Rabbit  | No significant irritation |

#### Serious Eye Damage/Irritation

| Name  | Species | Value                     |
|---|---------|---------------------------|
| Petroleum Distillate  | Rabbit  | No significant irritation |
| Poly(Dimethylsiloxane)  | Rabbit  | No significant irritation |
| Petroleum Distillate  | Rabbit  | Mild irritant             |
| Bis(Hydrogenated Tallow Alkyl)Dimethylammonium Salts with Bentonite | Rabbit  | No significant irritation |
| Anatase Titanium Dioxide  | Rabbit  | No significant irritation |

#### Skin Sensitization

| Name                     | Species          | Value           |
|--------------------------|------------------|-----------------|
| Petroleum Distillate     | Guinea pig       | Not sensitizing |
| Petroleum Distillate     | Guinea pig       | Not sensitizing |
| Anatase Titanium Dioxide | Human and animal | Not sensitizing |

#### Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

#### Germ Cell Mutagenicity

| Name                 | Route    | Value  |
|----------------------|----------|--|
| Petroleum Distillate | In vivo  | Not mutagenic  |
| Petroleum Distillate | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Petroleum Distillate | In Vitro | Not mutagenic  |



|                          |          |               |
|--------------------------|----------|---------------|
| Anatase Titanium Dioxide | In Vitro | Not mutagenic |
| Anatase Titanium Dioxide | In vivo  | Not mutagenic |

**Carcinogenicity**

| Name                     | Route      | Species                 | Value  |
|--------------------------|------------|-------------------------|--|
| Petroleum Distillate     | Dermal     | Mouse                   | Some positive data exist, but the data are not sufficient for classification |
| Petroleum Distillate     | Inhalation | Human and animal        | Some positive data exist, but the data are not sufficient for classification |
| Petroleum Distillate     | Dermal     | Mouse                   | Some positive data exist, but the data are not sufficient for classification |
| Anatase Titanium Dioxide | Ingestion  | Multiple animal species | Not carcinogenic   |
| Anatase Titanium Dioxide | Inhalation | Rat                     | Carcinogenic   |

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

| Name                 | Route      | Value                    | Species | Test Result    | Exposure Duration    |
|----------------------|------------|--------------------------|---------|----------------|----------------------|
| Petroleum Distillate | Inhalation | Not toxic to development | Rat     | NOAEL 2.4 mg/l | during organogenesis |

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

| Name                 | Route      | Target Organ(s)                   | Value  | Species                | Test Result         | Exposure Duration |
|----------------------|------------|-----------------------------------|--|------------------------|---------------------|-------------------|
| Petroleum Distillate | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human and animal       | NOAEL Not available |                   |
| Petroleum Distillate | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification |                        | NOAEL Not available |                   |
| Petroleum Distillate | Inhalation | nervous system                    | Some positive data exist, but the data are not sufficient for classification | Dog                    | NOAEL 6.5 mg/l      | 4 hours           |
| Petroleum Distillate | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Professional judgement | NOAEL Not available |                   |
| Petroleum Distillate | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human and animal       | NOAEL Not available |                   |
| Petroleum Distillate | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification |                        | NOAEL Not available |                   |
| Petroleum Distillate | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Professional judgement | NOAEL Not available |                   |

**Specific Target Organ Toxicity - repeated exposure**

| Name                 | Route      | Target Organ(s)       | Value  | Species | Test Result    | Exposure Duration |
|----------------------|------------|-----------------------|--|---------|----------------|-------------------|
| Petroleum Distillate | Inhalation | nervous system        | Some positive data exist, but the data are not sufficient for classification | Rat     | LOAEL 4.6 mg/l | 6 months          |
| Petroleum Distillate | Inhalation | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Rat     | LOAEL 1.9 mg/l | 13 weeks          |

|                          |            |   |  |                         |                     |                       |
|--------------------------|------------|---|--|-------------------------|---------------------|-----------------------|
| Petroleum Distillate     | Inhalation | respiratory system  | Some positive data exist, but the data are not sufficient for classification | Multiple animal species | NOAEL 0.6 mg/l      | 90 days               |
| Petroleum Distillate     | Inhalation | bone, teeth, nails, and/or hair   blood   liver   muscles | All data are negative  | Rat                     | NOAEL 5.6 mg/l      | 12 weeks              |
| Petroleum Distillate     | Inhalation | heart   | All data are negative  | Multiple animal species | NOAEL 1.3 mg/l      | 90 days               |
| Anatase Titanium Dioxide | Inhalation | respiratory system  | Some positive data exist, but the data are not sufficient for classification | Rat                     | LOAEL 0.01 mg/l     | 2 years               |
| Anatase Titanium Dioxide | Inhalation | pulmonary fibrosis  | All data are negative  | Human                   | NOAEL Not available | occupational exposure |

**Aspiration Hazard**

| Name                 | Value             |
|----------------------|-------------------|
| Petroleum Distillate | Aspiration hazard |
| Petroleum Distillate | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information**

**Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

**Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

**SECTION 13: Disposal considerations**

**13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

**SECTION 14: Transport Information**

**DOTG:**

LIMITED QUANTITY

**DOTW:**

UN1325, FLAMMABLE SOLID, ORGANIC, N.O.S., (HYDROTREATED HEAVY NAPHTHA (PETROLEUM) AND HYDROTREATED LIGHT PETROLEUM DISTILLATES), 4.1, II, LIMITED QUANTITY

**IATA:**

UN1325, FLAMMABLE SOLID, ORGANIC, N.O.S., (HYDROTREATED HEAVY NAPHTHA (PETROLEUM) AND HYDROTREATED LIGHT PETROLEUM DISTILLATES), 4.1, II

**IMO:**

UN1325, FLAMMABLE SOLID, ORGANIC, N.O.S., (HYDROTREATED HEAVY NAPHTHA (PETROLEUM) AND HYDROTREATED LIGHT PETROLEUM DISTILLATES), 4.1, II, LIMITED QUANTITY

Please contact the emergency numbers listed on the first page of the MSDS for Transportation Information for this material.

**SECTION 15: Regulatory information**

**15.1. US Federal Regulations**

Contact manufacturer for more information

**311/312 Hazard Categories:**

Fire Hazard - Yes    Pressure Hazard - No    Reactivity Hazard - No    Immediate Hazard - Yes    Delayed Hazard - No

**15.2. State Regulations**

Contact manufacturer for more information

**California Proposition 65**

**Ingredient**

Titanium oxide (TiO2)

**C.A.S. No.**

None

**Classification**

Carcinogen

WARNING: This product contains a chemical known to the State of California to cause cancer.

**15.3. Chemical Inventories**

The components of this product are in compliance with the chemical notification requirements of TSCA.

Contact manufacturer for more information

**15.4. International Regulations**

Contact manufacturer for more information

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**SECTION 16: Other information**

**NFPA Hazard Classification**

**Health:** 2    **Flammability:** 2    **Instability:** 0    **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

**Document Group:** 27-5146-9  
**Issue Date:** 03/23/17

**Version Number:** 5.01  
**Supersedes Date:** 05/19/14

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Meguiar's, Inc. MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Meguiar's, Inc. product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Meguiar's, Inc. product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Meguiar's, Inc. product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Meguiar's, Inc. provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Meguiar's, Inc. makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from Meguiar's, Inc.

**Meguiar's, Inc. USA SDSs are available at [www.Meguiars.com](http://www.Meguiars.com)**