ULTRA CLEANER

SAFETY DATA SHEET

Issuing Date 15-Jun-2009

Revision Date 30-Mar-2015

Revision Number 2





Pro ColorFlex Ink Corporation Pro ColorFlex Ink Corporation 3588 Arden Road Hayward, CA 94545

Tel: 510-293-3033 Fax: 510-293-3038

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

TR-2121

Product Name

HYBRID INK CLEANER/ULTRA CLEAN

Other means of identification

Synonyms

None

Recommended use of the chemical and restrictions on use

Recommended Use

Professional Use Only

Uses advised against

No information available

Details of the supplier of the safety data sheet

Supplier Name

Supplier Address

Pro Colorflex Ink Corp

3588 Arden Road

Hayward CA 94545

US

Supplier Phone Number

Phone:800-485-2605

Fax:510-293-3038

Contact Phone510-293-3033

sales@procolorflex.com

Emergency telephone number

800-485-2605 M - F 8:00AM - 4:30PM

2. HAZARDS IDENTIFICATION

Classification

Supplier Email

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)



Aguta taxiaita Cool	
Acute toxicity - Oral	Category 4
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

GHS Label elements, including precautionary statements

Emergency Overview

Signal word

Warning

Hazard Statements

Harmful if swallowed

Causes serious eye irritation

May cause damage to organs through prolonged or repeated exposure



Appearance Color

Physical State Liquid

Odor Slight glycol ether

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Wear eye/face protection

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

Precautionary Statements - Storage

None

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

36% of the mixture consists of ingredient(s) of unknown toxicity



Other information

May be harmful in contact with skin

Interactions with Other Chemicals

No information available.

COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Diethylene glycol	111-46-6	25 - 35	*
Diethylene glycol monobutyl ether	112-34-5	35 - 65	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice

Show this safety data sheet to the doctor in attendance.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention

if irritation develops and persists.

Skin Contact

Wash with soap and water.

Inhalation

Remove to fresh air.

Ingestion

Rinse mouth immediately and drink plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Burning sensation.

Effects

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available.

Uniform Fire Code

Irritant: Liquid

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact

No.

Sensitivity to Static Discharge

No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation. Evacuate personnel to safe areas.

Other Information

Refer to protective measures listed in Sections 7 and 8.

Environmental Precautions

Environmental Precautions

Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers. Soak up with inert absorbent material.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children.

Incompatible Products

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	1		
	ACGIH TLV	OSHA PEL	NIOSH IDLH
Diethylene glycol monobutyl ether	TWA: 10 ppm inhalable fraction		
112-34-5	and vapor	<u>-</u>	1
ACCULTUL A	una vapor		ł

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures

Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection

If splashes are likely to occur:. Wear safety glasses with side shields (or goggles). None

required for consumer use.

Skin and Body Protection

Repeated or prolonged contact:. Wear protective gloves and protective clothing. None

required for consumer use.

Respiratory Protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIE

Physical and Chemical Properties

Physical State Appearance Color

Property

Liquid Color

Various colors

Odor **Odor Threshold**

None known

None known

None known

None known

None known

None known

Remarks Method

Slight glycol ether No information available

рΗ Melting / freezing point Boiling point / boiling range Flash Point **Evaporation Rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit

Values UNKNOWN No data available No data available No data available No data available No data available

No data available No data available

Lower flammability limit Vapor pressure No data available Vapor density No data available **Specific Gravity** No data available Water Solubility Insoluble in water Solubility in other solvents No data available Partition coefficient: n-octanol/waterNo data available Autoignition temperature No data available Decomposition temperature No data available Kinematic viscosity No data available Dynamic viscosity No data available **Explosive properties** No data available **Oxidizing Properties** No data available

None known None known

Other Information

Softening Point VOC Content (%) Particle Size

No data available No data available No data available

Particle Size Distribution

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye Contact

Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. May cause redness, itching, and pain. May cause temporary eye

irritation.

Skin Contact

Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Ingestion

Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea. May be harmful if swallowed. (based on components).

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Diethylene glycol 111-46-6	= 12565 mg/kg (Rat)	= 11890 mg/kg (Rabbit)	•
Diethylene glycol monobutyl ether 112-34-5	= 3384 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-

Information on toxicological effects



Symptoms

May cause redness and tearing of the eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Mutagenic Effects

No information available.

Carcinogenicity

This product may contain trace chemical/s below reportable levels of 0.1% known to the State of California to cause cancer and/or birth defects or other reproductive harm.

Reproductive Toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure. Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from

chronic or repeated exposure. (STOT RE).

Chronic Toxicity

Contains a known or suspected carcinogen. Avoid repeated exposure. Prolonged exposure

may cause chronic effects. May cause adverse liver effects.

Target Organ Effects

Eyes. Respiratory system. Skin. Gastrointestinal tract (GI). Lymphatic System. Kidney.

Liver. Lungs.

Aspiration Hazard

No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 571.00 mg/kg ATEmix (dermal) 3,301.00 mg/kg (ATE)



:: 12. ECOLOGICAL INFORMATION - 12.

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Diethylene glycol 111-46-6		96h LC50: = 75200 mg/L (Pimephales promelas)	EC50 = 29228 mg/L 15 min	48h EC50: = 84000 mg/L
Diethylene glycol monobutyl ether 112-34-5	96h EC50: > 100 mg/L (Desmodesmus subspicatus)	96h LC50: = 1300 mg/L (Lepomis macrochirus)		24h EC50: = 2850 mg/L 48h EC50: > 100 mg/L

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Diethylene glycol	-1.98
111-46-6	

Other adverse effects

No information available.

13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise aftered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Dispose of contents/containers in accordance with local regulations.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14 TRANSPORT INFORMATION:

DOT

NOT REGULATED NON REGULATED

Proper Shipping Name Hazard Class

N/A

TDG

Not regulated

MEX

Not regulated



ICAO

Not regulated

IATA

Not regulated

Proper Shipping Name

NON REGULATED

Hazard Class

N/A

IMDG/IMO

Not regulated

Hazard Class

N/A

RID

Not regulated

ADR

Not regulated

ADN

Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA

Complies

DSL

All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold
Diethylene glycol monobutyl ether - 112-34-5	112-34-5	30 - 60	Values %

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
1,4-Dioxane 123-91-1 <0.001%	Carcinogen
Ethanol, 2-methoxy- 109-86-4 <0.001%	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Diethylene glycol 111-46-6			X	Turodo Islana	minois
Diethylene glycol monobutyl ether 112-34-5			Х	Х	Х
Butoxyethanol 111-76-2	×	X	X	Х	Х

International Regulations

Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
2-Butoxyethanol		Mexico: TWA 26 ppm
111-76-2(0.1% – 0.7%)		Mexico: TWA 120 mg/m ³
		Mexico: STEL 75 ppm
Marian Con time 15		Mexico: STEL 360 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

D2B - Toxic materials



16. OTHER INFORMATION

NFPA

Health Hazards 2

Flammability 0

Instability 0

Physical and

Х

HMIS

Health Hazards 2 * Flammability 0

Physical Hazard 0

Chemical Hazards -**Personal Protection**

Chronic Hazard Star Legend * = Chronic Health Hazard

Prepared By

Pro Colorflex Ink Corp.

3588 Arden Road Hayward, CA 94545

Issuing Date

10-Jun-2009

Revision Date Revision Note

30-Mar-2015 New GHS format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. While the information is believed to be accurate, Pro ColorFlex Ink Corporation makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Pro ColorFlex Ink Corporation's control and therefore users are responsible to verify this data under their own operating conditions to determine if the product is suitable for their particular purposes, and they assume all risks of their use, safe handling, processing, storage, transportation, disposal and release of the product. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

