

FOR THE ONES WHO GET IT DONE Image: Close this window SDS Common Name: SLUGGER CUTTING FLUID Manufacturer: BLUE STAR LUBRICATION TECHNOLOGY SDS Revision Date: 6/10/2016 SDS Format: GHS-US Item Number(s): 4KYP2, 4KYP3, 4KYP4, 4KYP5, 54FH09, 54FH10, 62RZ20, 62RZ21

Manufacturer Model Number(s):

SDS Table of Contents

Click the desired link below to jump directly to that section in the SDS.

SECTION 1 PRODUCT AND COMPANY IDENTIFICATION SECTION 2 HAZARDS IDENTIFICATION SECTION 3 COMPOSITION INFORMATION ON INGREDIENTS SECTION 4 FIRST AID MEASURES SECTION 5 FIRE FIGHTING MEASURES SECTION 6 ACCIDENTAL RELEASE MEASURES SECTION 7 HANDLING AND STORAGE SECTION 8 PERSONAL PROTECTION / EXPOSURE CONTROLS SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES SECTION 10 STABILITY AND REACTIVITY SECTION 11 TOXICOLOGICAL INFORMATION SECTION 12 ECOLOGICAL INFORMATION SECTION 13 DISPOSAL CONSIDERATIONS SECTION 14 TRANSPORTATION INFORMATION SECTION 15 REGULATORY INFORMATION SECTION 16 OTHER INFORMATION

BLUE STAR LUBRICATION TECHNOLOGY

SAFETY DATA SHEET

SECTION 1 PRODUCT AND COMPANY IDENTIFICATION

🛆 top

MANUFACTURER: BLUE STAR LUBRICATION TECHNOLOGY(R*), LLC (C/O JANCY ENGINEERING COMPANY) 915 N. PLUM GROVE ROAD, SUITE C SCHAUMBURG, IL 60173 UNITED STATES OF AMERICA PHONE: 847-285-1888 FAX: 847-285-1894 EMERGENCY PHONE NUMBERS: 847-285-1888 NORMAL BUSINESS HRS. USA & CANADA CHEMTREC: 800-424-9300 INTERNATIONAL CHEMTREC: 703-527-3887 RECOMMENDED USAGE: WATER BASED LUBRICANT

OTHER IDENTIFIER: COOLANT, CONCENTRATE

PRODUCT NAME: SLUGGER CUTTING FLUID

SECTION 2 HAZARDS IDENTIFICATION

CLASSIFICATION OF THE MIXTURE: CLEAR OR SLIGHT HAZY AMBER LIQUID. AMMONIA LIKE ODOR.

MOST IMPORTANT HAZARDS: THIS MATERIAL IS CONSIDERED HAZARDOUS BY THE OSHA HAZARD COMMUNICATION STANDARD (29CFR 1910.1200). MAY CAUSE EYE AND SKIN IRRITATION. MAY CAUSE SKIN SENSITIZATION WITH SUSCEPTIBLE INDIVIDUALS. MAY CAUSE RESPIRATORY TRACT IRRITATION. HARMFUL IS SWALLOWED. MAY IMPAIR FERTILITY. MAY CAUSE HARM TO UNBORN CHILD.

HAZARD CLASSIFICATION:

IRRITANT EYE: CATEGORY 2

IRRITANT SKIN: CATEGORY 2

REPRODUCTIVE TOXICANT: CATEGORY 1B

MAY CAUSE ALLERGIC SKIN REACTION: CATEGORY 1A

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE: CATEGORY 3 RESPIRATORY TRACT IRRITATION

SIGNAL WORD: DANGER!

PICTOGRAMS: EXCLAMATION MARK HEALTH HAZARD

PRECAUTIONARY STATEMENTS:

INHALATION: AVOID BREATHING DUST/FUME/GAS/MIST/VAPORS/SPRAY. KEEP CONTAINER TIGHTLY CLOSED. USE ONLY WITH ADEQUATE VENTILATION.

SKIN: AVOID CONTACT WITH SKIN AND CLOTHING. WASH THOROUGHLY AFTER HANDLING.

EYES: AVOID CONTACT WITH EYES. WASH THOROUGHLY AFTER HANDLING.

INGESTION: HARMFUL IF SWALLOWED.

QUANTITY OF INGREDIENTS WITH UNKNOWN ACUTE TOXICITY: 0%

SECTION 3 COMPOSITION INFORMATION ON INGREDIENTS

INGREDIENT	WT %	CAS#
ETHANOLAMINE	<2	141-43-5
BORIC ACID	<3	10043-35-3
C12-14 ALCOHOLS, < 2.5 EO, SULFATE, SODIUM SALT	<2	68891-38-3
SODIUM 2-MERCAPTOBENZOTRIAZOLE	<1	2492-26-4

http://complyplus.grainger.com/grainger/msds.asp?sheetid=4172016

🛆 top

📥 top

TOLYLTRIAZOLE, SODIUM SALT	<1	64665-57-2
SODIUM-4-ETHYLYLENEDIAMINETETRACETATE	<1	64-02-8
ETHYLDIHYDRO-1H, 3H, 5HOXAZOLO (3,4-C)-OXAZOLE	<2	7747-35-5

SECTION 4 FIRST AID MEASURES

EYES:

FLUSH EYES WITH RUNNING WATER FOR AT LEAST 15 MINUTES. IF REDNESS, BURNING, BLURRED VISION OR IRRITATION PERSISTS, TRANSPORT TO NEAREST MEDICAL FACILITY FOR ADDITIONAL TREATMENT.

SKIN:

FLUSH SKIN WITH WATER, WASH WITH SOAP AND WATER. IF IRRITATION OCCURS, GET MEDICAL ATTENTION. REMOVE CONTAMINATED CLOTHING. DO NOT REUSE CLOTHING UNTIL CLEANED. IF MATERIAL IS INJECTED UNDER THE SKIN, TRANSPORT TO THE NEAREST MEDICAL FACILITY FOR ADDITIONAL TREATMENT. IF REDNESS, SWELLING, PAIN AND/OR BLISTERS OCCUR, TRANSPORT TO THE NEAREST MEDICAL FACILITY FOR ADDITIONAL TREATMENT.

INGESTION: DO NOT INDUCE VOMITING AND OBTAIN MEDICAL ATTENTION. HAVE VICTIM RINSE MOUTH OUT WITH WATER. IF VOMITING OCCURS SPONTANEOUSLY, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION.

INHALATION: REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. IF THE VICTIM HAS DIFFICULTY BREATHING OR TIGHTNESS OF THE CHEST, IS DIZZY, VOMITING OR UNRESPONSIVE, GIVE OXYGEN WITH RESCUE BREATHING OR CPR AS REQUIRED AND TRANSPORT TO THE NEAREST MEDICAL FACILITY.

SECTION 5 FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES:

FLASHPOINT: NONE (ASTM D56)

FLAMMABLE LIMITS IN AIR: N/A

AUTO IGNITION TEMPERATURE: N/A

EXTINGUISHING MEDIA: CO2, DRY CHEMICAL, FOAM

SPECIAL FIREFIGHTING MEASURE: THE MATERIAL AS RECEIVED WILL NOT SUPPORT COMBUSTION, HOWEVER ITS RESIDUES MAY; THEREFORE, PROCEDURES FOR AN OIL FIRE SHOULD BE FOLLOWED. USE SELF-CONTAINED BREATHING APPARATUS. USE FOAM OR DRY CHEMICAL TO EXTINGUISH FIRE. WATER MAY BE USED ONLY TO KEEP SURROUNDING CONTAINERS COOL. FIREFIGHTERS SHOULD WEAR PROPER PROTECTIVE EQUIPMENT AND SELF-CONTAINED BREATHING APPARATUS WITH FULL FACE PIECE OPERATED IN POSITIVE PRESSURE MODE.

SECTION 6 ACCIDENTAL RELEASE MEASURES

ELIMINATE IGNITION SOURCES AND VENTILATE AREA. ABSORB SPILLAGE WITH INERT ABSORBENT MATERIAL. CONTAIN SPILL AND KEEP FROM ENTERING WATERWAYS OR SEWERS. 🛆 top

🛆 top

A top

ADVISE EPA/STATE AGENCY IF REQUIRED.

USE PROPER PERSONAL PROTECTIVE EQUIPMENT FOR CLEAN-UP.

TREAT CONTAMINATED ABSORBENT SAME AS SPILLED PRODUCT.

SECTION 7 HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS:

WORK/HYGIENIC PRACTICES:

A top

A top

A top

ENGINEERING CONTROLS: USE ADEQUATE VENTILATION TO KEEP VAPORS AND MISTS OF THIS MATERIAL BELOW APPLICABLE STANDARDS. RECOMMENDED WORK PLACE CONTROL PARAMETERS - BASED

SECTION 8 PERSONAL PROTECTION / EXPOSURE CONTROLS

AVOID HEAT, OPEN FLAMES, INCLUDING PILOT LIGHTS, AND STRONG OXIDIZING AGENTS. USE EXPLOSION-PROOF VENTILATION TO PREVENT VAPOR ACCUMULATION. GROUND ALL HANDLING EQUIPMENT TO PREVENT SPARKING. AVOID CONTACT WITH EYES, SKIN AND CLOTHING. WASH THOROUGHLY AFTER HANDLING. DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT. HAVE APPROPRIATE FIRE EXTINGUISHERS AND SPILL CLEAN-UP EQUIPMENT IN OR NEAR STORAGE AREA.

WASH WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING, APPLYING COSMETICS, OR USING TOILET. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES SUCH AS SHOES OR BELTS THAT CANNOT BE DECONTAMINATED. CONTAMINATED LEATHER ARTICLES INCLUDING SHOES CANNOT BE DECONTAMINATED AND SHOULD BE DESTROYED TO PREVENT REUSE.

ON ETHANOLAMINE STEL 6 PPM. RESPIRATORY PROTECTION:

IF ENGINEERING CONTROLS DO NOT MAINTAIN AIRBORNE CONCENTRATIONS TO A LEVEL WHICH IS ADEQUATE TO PROTECT WORKER HEALTH, AN APPROVED RESPIRATOR MUST BE WORN. RESPIRATOR SELECTION, USE AND MAINTENANCE SHOULD BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE OSHA RESPIRATORY PROTECTION STANDARD, 29 CFR 1910.134.

SKIN PROTECTION: USE PROTECTIVE CLOTHING THAT IS CHEMICALLY RESISTANT TO THIS PRODUCT. ACCEPTABLE MATERIALS FOR GLOVES AND APRONS ARE; NEOPRENE, NITRILE RUBBER OR VITON.

EYE PROTECTION: USE SAFETY GLASSES OR GOGGLES. HAVE SUITABLE EYE WASH WATER AVAILABLE.

OTHER/GENERAL PROTECTION:

FOR MISTS AND VAPORS: AIR PURIFYING, ORGANIC VAPOR CARTRIDGE, NIOSH APPROVED RESPIRATOR. USE SELF-CONTAINED BREATHING APPARATUS FOR ENVIRONMENTS WITH UNKNOWN CONCENTRATIONS OR EMERGENCY SITUATIONS.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

COLOR: AMBER APPEARANCE: CLEAR LIQUID ODOR: AMMONIA LIKE BOILING POINT: >212 DEG. F VOC (CONCENTRATE) EPA METHOD 24: N/E VAPOR PRESSURE: N/E DEG. F % VOLATILE BY VOLUME: N/E VAPOR DENSITY (AIR = 1): N/E REACTIVITY IN WATER: NON-REACTIVE SOLUBILITY IN WATER: COMPLETE EVAPORATION RATE (BUTYL ACETATE = 1): <1 SPECIFIC GRAVITY: 1.02 PH: <11</pre>

SECTION 10 STABILITY AND REACTIVITY

STABILITY: STABLE CONDITIONS TO AVOID: SOURCES OF IGNITION. INCOMPATIBILITY: STRONG OXIDIZING OR REDUCING AGENTS. DECOMPOSITION PRODUCTS: OXIDES OF CARBON, HYDROGEN AND NITROGEN. HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

SECTION 11 TOXICOLOGICAL INFORMATION

LIKELY ROUTES OF EXPOSURE: INHALATION, SKIN, EYES AND INGESTION.

POTENTIAL HEALTH EFFECTS:

EYE EFFECTS: IRRITANT. THIS MIXTURE CAN CAUSE IRRITATION AND REDNESS.

SKIN EFFECTS: IRRITANT. THIS MIXTURE CAN CAUSE DERMATITIS, INFLAMMATION AND SIGNIFICANT IRRITATION.

ORAL EFFECTS: HARMFUL IF SWALLOWED. MAY CAUSC BURNS TO MOUTH AND ESOPHAGUS. GASTROINTESTINAL TRACT IRRITATION, NAUSEA AND VOMITING.

INHALATION EFFECTS: HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION.

CHRONIC HEALTH EFFECTS: PRIMARY TARGET ORGANS FOLLOWING REPEATED EXPOSURE ARE RESPIRATORY TRACT, EYES, SKIN, LUNGS, LIVER AND KIDNEYS.

MUTAGENICITY: NEGATIVE

CARCINOGENICITY: THIS MIXTURE DOES NOT CONTAIN ANY COMPONENT GREATER THAN 0.1% THAT IS LISTED AS A CARCINOGENIC OR A POTENTIAL CARCINOGEN BY THE NATIONAL TOXICOLOGY PROGRAM, BY THE I.A.R.C. MONOGRAPHS OR BY OSHA.

REPRODUCTIVE EFFECTS: THIS MATERIAL IS CONSIDERED HAZARDOUS BY THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200). REPRODUCTIVE TOXICANT CATEGORY 1B. SUSPECTED OF CAUSING HARM TO UNBORN CHILD, INFERTILITY AND TESTICULAR DAMAGE FROM REPEATED INGESTION OF BORIC ACID. A top

A top

TERATOGENICITY: NEGATIVE

SENSITIZATION: POTENTIAL SKIN SENSITIZER CATEGORY 1A. SODIUM 2-MERCAPTOBENZOTHIAZOLE MAY CAUSE ALLERGIC SKIN REACTION.

TOXICOLOGICAL DATA: ATE ORAL IS > 6,000 MG/KG ATE DERMAL IS > 6,000 MG/KG ATE INHALATION (VAPOR) IS ESTIMATED AT 49.83 MG/L/4 HOUR ATE INHALATION (MIST/AEROSOL) IS ESTIMATED AT 2.35 MG/L/4 HOUR

SECTION 12 ECOLOGICAL INFORMATION

NOT CLASSIFIED DUE TO INADEQUATE DATA AVAILABLE ON THIS MIXTURE. RECOMMEND AVOIDANCE OF RELEASE TO THE ENVIRONMENT.

SECTION 13 DISPOSAL CONSIDERATIONS

AVOID RELEASE TO THE ENVIRONMENT. DISPOSE IN A SAFE MANNER IN ACCORDANCE WITH NATIONAL, STATE AND LOCAL REGULATIONS. NOT A RCRA HAZARDOUS WASTE IF UNCONTAMINATED. IF "USED" RCRA CRITERIA MUST BE DETERMINED. DISPOSE OF CONTAINER BY RECYCLING OR IF PERMITTED INCINERATION.

SECTION 14 TRANSPORTATION INFORMATION

PROPER SHIPPING NAME: DETERGENTS, SOAPS.

SHIPPING CLASS: 55

DOT IDENTIFICATION NUMBER: N/A

DOT SHIPPING LABEL: NOT REGULATED BY DOT.

TDG CLASSIFICATION: NOT CONTROLLED UNDER TDG (CANADA).

SECTION 15 REGULATORY INFORMATION

U.S. FEDERAL REGULATORY INFORMATION:

SARA 302 THRESHOLD PLANNING QUANTITY: N/A

SARA 304 REPORTABLE QUANTITY: N/A

SARA 311 CATEGORIES: ACUTE HEALTH EFFECTS: YES CHRONIC HEALTH EFFECTS: YES FIRE HAZARD: NO SUDDEN RELEASE OF PRESSURE HAZARD: NO REACTIVITY HAZARD: NO

EPA/TSCA INVENTORY: THE COMPONENTS OF THIS PRODUCT ARE LISTED ON THE EPA/TSCA INVENTORY OF CHEMICALS.

EPA HAZARD CLASSIFICATION CODE: NOT APPLICABLE

CERCLA: NO CHEMICALS IN THIS PRODUCT ARE SUBJECT TO THE REPORTING REQUIREMENTS

http://complyplus.grainger.com/grainger/msds.asp?sheetid=4172016

🛆 top

🛆 top

🛆 top

A top

SARA TITLE III - SECTION 313 SUPPLIER NOTIFICATION: NO CHEMICALS IN THIS PRODUCT EXCEED THE DE MINIMUS REPORTING LEVEL ESTABLISHED BY SARA TITLE III, SECTION 313 AND 40 CFR 372.

WHMIS CLASSIFICATION: WHMIS CONTROLLED.

CLASS D; DIVISION 2, SUBDIVISION B: OTHERWISE CAUSING TOXIC EFFECTS.

OTHER REGULATIONS: ALL COMPONENTS OF THIS FORMULATION ARE LISTED ON THE CEPA-DSL (DOMESTIC SUBSTANCE LIST)

SECTION 16 OTHER INFORMATION

🛆 top

NFPA HAZARD RATING: HEALTH 2 SLIGHT FLAMMABILITY 1 NEGLIGIBLE REACTIVITY 0 NEGLIGIBLE

SDS DATED: 6/10/2016

*THRESHOLD LIMIT VALUE/PERSONAL EXPOSURE LIMIT: N/A = NOT APPLICABLE N/E = NOT ESTABLISHED

DISCLAIMER OF EXPRESS OR IMPLIED WARRANTIES: THE INFORMATION CONTAINED HEREIN IS BASED UPON DATA BELIEVED TO BE RELIABLE AND REFLECTS OUR BEST PROFESSIONAL JUDGMENT. ALTHOUGH REASONABLE CARE HAS BEEN TAKEN IN THE PREPARATION OF THIS DOCUMENT, WE EXTEND NO WARRANTIES AND MAKE NO REPRESENTATIONS AS TO THE ACCURACY OF COMPLETENESS OF THE INFORMATION CONTAINED THEREIN AND ASSUME NO RESPONSIBILITY REGARDING THE SUITABILITY OF THIS INFORMATION FOR THE USER'S INTENDED PURPOSE OR FOR THE CONSEQUENCE OF ITS USE. EACH INDIVIDUAL SHOULD MAKE A DETERMINATION AS TO THE SUITABILITY OF THE INFORMATION FOR HIS/HER PARTICULAR PURPOSE(S).