Safety Data Sheet Lock Lubricant LL-40 PACK LOGIX Inc.

Page 1 of 3 Revision Date: 10/15/2013

Section 1: Chemical Product and Company Identification

Product Name: Lock Lubricant Product Number: Panef LL-40

Manufacturer: Pack Logix Inc. Emergency Telephone: 800-535-5053

5700 West Douglas Avenue

Milwaukee, WI 53218

Total Pages: 3 **Information Telephone:** 414-464-7200

Section 2: Hazards Identification

Route (s) of Entry: Inhalation Skin Ingestion Eyes
Yes Yes No No

Health Hazards:

Acute: May cause eye irritation. Contains petroleum distillates: DO NOT INGEST.

Chronic: No evidence of adverse effects from available information.

Symptoms of exposure: Vapors may cause drowsiness, mild irritation of eyes.

Carcinogenicity: NTP IARC Monographs OSHA Regulated

No No No

Section 3: Composition / Information on Ingredients

Hazardous Ingredients	CAS	OSHA PEL	ACGIH TLV	Other Limits	<u>%</u>
Isopropyl Alcohol	67-63-0		400ppm		75-85
Graphite	7782-42-5	2.5mg/M			6-8
Mineral Spirits	8002-05-9	400ppm	100ppm		6-8
Propylene Glycol	57-55-6	Not Established			2-3

Section 4: First Aid Measures

Eyes: Flush eyes immediately with large amounts of water. Get medical attention.

Inhalation: Remove to fresh air. If breathing stops, give artificial respiration and get medical attention.

Ingestion: DO NOT induce vomiting. If large amounts have been swallowed, call physician.

Skin: Wipe off normal soil, wash with soap and water.

Carcinogen: No

Section 5: Fire Fighting Measures

Flash Point: (method) 55°F TCC Flammable Limits: LEL: UEL: 2 12.7

Extinguishing Media: Foam, carbon dioxide, dry chemical

Special Fire Fighting Procedures: Use self-contained breathing and protective clothing in case of raging

fire.

Unusual Fire and Explosion Hazards: Avoid Ignition of vapors which may travel or be carried by air currents.

Hazardous Products Formed by Fire or Thermal Decomposition: Smoke, Carbon Monoxide and/or

Carbon Dioxide.

NFPA Hazard Rating: Health Flammability Reactivity ? ?

NFPA Notes:

Section 6: Accidental Release Measures

Spill / Leak Procedures: Recover free product. Use absorbent on spill areas. Keep product out of sewers and waterways. Avoid skin contact.

Safety Data Sheet Lock Lubricant

Page 2 of 3 Revision Date: 10/15/2013

Section 7: Handling and Storage

Handling and Storage Precautions: Keep containers closed and away from open flames.

Special Precautions: Keep containers closed when not in use. Do not handle or store near excess heat,

sparks or open flame. Keep out of reach of children. Do not ingest.

Work / Hygienic Practices: Wash hands with soap and water after handling product. Remove

contaminated clothing and launder

before reuse.

Section 8: Exposure Controls / Personal Protection

Respiratory Protection (specify type): None required in normal use.

Local Exhaust
RequiredMechanical (general)
RequiredSpecial
NoneOtherEye / Face Protection:RequiredNoneNoneEye / Face Protection:Safety glasses or goggles recommended when eye contact may occur.

Skin Protection: Neoprene or nitrile gloves recommended.

Section 9: Physical / Chemical Characteristics

Boiling Point (760mm/Hg): 180°F Specific Gravity (Water=1): 0.806 Vapor Density (Air=1): 2.5 Vapor Pressure (mm HG@25.°C): 20-30

Evaporation Rate (Butyl Acetate=1):2.8 % Volatile (Vol%): 90 Solubility in Water: Partially Soluble Wt/Gal (lbs): 6.72 Appearance and Odor: Black in color, thin liquid with solvent like odor.

Section 10: Stability and Reactivity

Stability: Material is stable **Conditions to Avoid:**

Incompatibility (materials to avoid): Strong acids and oxidizers such as chlorine gas.

Hazardous Polymerization: Will not occur.

Section 11: Toxicology Information

None Available.

Section 12: Ecological Information

None Available

Section 13: Disposal Considerations

Incinerate or bury according to local, state and federal laws.

Section 14: Transportation Information

Via Truck: Via Air: Via Ocean:

Section 15: Regulatory Information

SARA Title III f302, 304, 311 & 312 – Components in this product at a level which could require reporting under this statute are: NONE

SARA Title III f313 – Components present in this product which may require reporting under this statute are: NONE

Safety Data Sheet Lock Lubricant

Page 3 of 3 Revision Date: 10/15/2013

Section 16: Other Information

Disclaimer: The information contained herein is based on data available. However, no warranty is expresses or implied regarding the accuracy of the data or the results obtained from use thereof. Because the information contained herein may be applied under conditions beyond our control, we assume no responsibility for its use.