Valvoline.	Page: 1
SAFETY DATA SHEET	Revision Date: 06/10/2019
	Print Date: 9/18/2019
	SDS Number: 000000182681
Syn Gard™ SYNTHETIC AUTOMATIC TRANSMISSION FLUID ES	Version: 1.10
™ Trademark, Valvoline or its subsidiaries, registered in various countries	
887980	

29 CFR 1910.1200 (OSHA HazCom 2012)

# **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

**Product identifier** 

Syn Gard™ SYNTHETIC AUTOMATIC TRANSMISSION Trade name

**FLUID ES** 

™ Trademark, Valvoline or its subsidiaries, registered in

**Regulatory Information Number** 

1-800-TEAMVAL (1-800-832-6825)

various countries

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Lubricant

Details of the supplier of the safety data Emergency telephone number sheet 1-800-VALVOLINE (1-800-825-8654) Valvoline LLC

100 Valvoline Way Lexington, KY 40509 United States of America (USA)

1-800-TEAMVAL (1-800-832-6825)

1-800-TEAMVAL (1-800-832-6825)

SDS@valvoline.com

**Product Information** 

# **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Skin sensitization : Category 1

**GHS** label elements

Hazard pictograms

Signal Word : Warning

**Hazard Statements** May cause an allergic skin reaction.

**Precautionary Statements** : Prevention:

> Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Contaminated work clothing must not be allowed out of the

Valvoline.	Page: 2
SAFETY DATA SHEET	Revision Date: 06/10/2019
	Print Date: 9/18/2019
	SDS Number: 000000182681
Syn Gard™ SYNTHETIC AUTOMATIC TRANSMISSION FLUID ES ™ Trademark, Valvoline or its subsidiaries, registered in various	Version: 1.10
countries 887980	

workplace.

Wear protective gloves.

Response:

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/ attention.

Wash contaminated clothing before reuse.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

# Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Hazardous components** 

Chemical name	CAS-No.	Classification	Concentration (%)
DISTILLATES (PETROLEUM),	64742-65-0	Asp. Tox. 1; H304	>=15.00 - < 20.00
SOLVENT-DEWAXED HEAVY			
PARAFFINIC			
DISTILLATES (PETROLEUM),	64742-54-7	Not a hazardous	>=10.00 - < 15.00
HYDROTREATED HEAVY		substance or mixture.	
PARAFFINIC			
Reaction product of: polyethylene-polyamine-(C16-C18)-alkylamides		Skin Irrit. 2; H315	>=5.00 - < 10.00
with monothio-(C2)-alkyl		Eye Irrit. 2A; H319	
phosphonates		Skin Sens. 1A; H317	
		J. 171, 11017	

## **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice

If symptoms persist, call a physician.

In case of skin contact : Remove contaminated clothing. If irritation develops, get

medical attention.

Valvoline	Page: 3
SAFETY DATA SHEET	Revision Date: 06/10/2019
	Print Date: 9/18/2019
	SDS Number: 000000182681
Syn Gard™ SYNTHETIC AUTOMATIC TRANSMISSION FLUID ES	Version: 1.10
™ Trademark, Valvoline or its subsidiaries, registered in various	
countries	
887980	

If on skin, rinse well with water.

Wash contaminated clothing before re-use.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

: No symptoms known or expected. May cause an allergic skin reaction.

Notes to physician : No hazards which require special first aid measures.

# **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray

Foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: carbon dioxide and carbon monoxide

Hydrocarbons

Nitrogen oxides (NOx)

Specific extinguishing

methods

: Product is compatible with standard fire-fighting agents.

Product is compatible with standard fire-fighting agents.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Valvoline.	Page: 4
SAFETY DATA SHEET	Revision Date: 06/10/2019
	Print Date: 9/18/2019
	SDS Number: 000000182681
Syn Gard™ SYNTHETIC AUTOMATIC TRANSMISSION FLUID ES	Version: 1.10
™ Trademark, Valvoline or its subsidiaries, registered in various countries	
887980	

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions

: Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not breathe vapours/dust.

Do not smoke.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Container hazardous when empty.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage

: Keep container tightly closed in a dry and well-ventilated

nlace

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Valvoline.	Page: 5
SAFETY DATA SHEET	Revision Date: 06/10/2019
	Print Date: 9/18/2019
	SDS Number: 000000182681
Syn Gard™ SYNTHETIC AUTOMATIC TRANSMISSION FLUID ES	Version: 1.10
™ Trademark, Valvoline or its subsidiaries, registered in various	
countries	
887980	

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Components with workplace control parameters

Components	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	
		exposure)	Permissible	
			concentration	
HYDROTREATED LIGHT	64742-55-8	TWA	5 mg/m3	OSHA Z-1
PARAFFINIC DISTILLATE			Mist	
		TWA	5 mg/m3 Inhalable fraction	ACGIH
		TWA	5 mg/m3	OSHA P0
			Mist	
		TWA	5 mg/m3	NIOSH REL
			Mist	
		ST	10 mg/m3	NIOSH REL
			Mist	
		PEL	5 mg/m3	CAL PEL
			particulate	
HYDROTREATED LIGHT	64742-55-8	TWA	5 mg/m3	OSHA Z-1
PARAFFINIC DISTILLATE			Mist	
		TWA	5 mg/m3	ACGIH
			Inhalable fraction	
		TWA	5 mg/m3	OSHA P0
			Mist	
		TWA	5 mg/m3	NIOSH REL
			Mist	
		ST	10 mg/m3	NIOSH REL
			Mist	
		PEL	5 mg/m3	CAL PEL
			particulate	

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

Personal protective equipment

Respiratory protection : Respiratory protection is not required under normal conditions

of use.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Not required under normal conditions of use. Wear splash-

proof safety goggles if material could be misted or splashed

Valvoline.	Page: 6
SAFETY DATA SHEET	Revision Date: 06/10/2019
	Print Date: 9/18/2019
	SDS Number: 000000182681
Syn Gard™ SYNTHETIC AUTOMATIC TRANSMISSION FLUID ES	Version: 1.10
™ Trademark, Valvoline or its subsidiaries, registered in various	
countries	
887980	

into eyes.

Skin and body protection : Wear resistant gloves (consult your safety equipment

supplier).

Wear as appropriate: Impervious clothing Safety shoes

Choose body protection according to the amount and concentration of the dangerous substance at the work place. Discard gloves that show tears, pinholes, or signs of wear.

Hygiene measures : Wash hands before breaks and at the end of workday.

When using do not eat or drink. When using do not smoke.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range :  $> 392 \, ^{\circ}\text{F} / > 200 \, ^{\circ}\text{C}$ 

(1,013.333333 hPa)

Calculated Phase Transition Liquid/Gas

Flash point : 396 °F / 202 °C

Method: Cleveland open cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : 0.6666667 hPa (68 °F / 20 °C)

Valvoline	Page: 7
SAFETY DATA SHEET	Revision Date: 06/10/2019
	Print Date: 9/18/2019
	SDS Number: 000000182681
Syn Gard™ SYNTHETIC AUTOMATIC TRANSMISSION FLUID ES	Version: 1.10
™ Trademark, Valvoline or its subsidiaries, registered in various countries	
™ Trademark, Valvoline or its subsidiaries, registered in various	

Calculated Vapor Pressure

Relative vapour density : No data available

Relative density : No data available

Density : 0.851 g/cm3

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 35.1 mm2/s (104 °F / 40 °C)

Oxidizing properties : No data available

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Product will not undergo hazardous polymerization.

Conditions to avoid : None known.

Incompatible materials : alkalis

Strong acids

Strong oxidizing agents

Hazardous decomposition

products . No hazardous decomposition products are known.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Valvoline.	Page: 8
SAFETY DATA SHEET	Revision Date: 06/10/2019
	Print Date: 9/18/2019
	SDS Number: 000000182681
Syn Gard™ SYNTHETIC AUTOMATIC TRANSMISSION FLUID ES	Version: 1.10
™ Trademark, Valvoline or its subsidiaries, registered in various countries 887980	

# Information on likely routes of exposure

Inhalation Skin contact Eye Contact Ingestion

**Acute toxicity** 

Not classified based on available information.

**Components:** 

**DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC:** 

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

**DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:** 

Acute oral toxicity : LD50 (Rat): > 15 g/kg

Acute dermal toxicity : LD50 (Rabbit): > 5 g/kg

Reaction product of: polyethylene-polyamine-(C16-C18)-alkylamides with monothio-(C2)-

alkyl phosphonates:

Acute oral toxicity : LD50: > 2,000 mg/kg

Assessment: No adverse effect has been observed in acute

oral toxicity tests.

Acute dermal toxicity : LD50: > 2,000 mg/kg

Assessment: No adverse effect has been observed in acute

dermal toxicity tests.

Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Remarks : May cause skin irritation in susceptible persons.

Components:

**DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC:** 

Assessment : Slight, transient irritation Result : Slight, transient irritation

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Assessment : Slight, transient irritation Result : Slight, transient irritation

Reaction product of: polyethylene-polyamine-(C16-C18)-alkylamides with monothio-(C2)-

alkyl phosphonates:

Result : Irritating to skin.

Serious eye damage/eye irritation

Not classified based on available information.

Valvoline.	Page: 9
SAFETY DATA SHEET	Revision Date: 06/10/2019
	Print Date: 9/18/2019
	SDS Number: 000000182681
Syn Gard™ SYNTHETIC AUTOMATIC TRANSMISSION FLUID ES	Version: 1.10
™ Trademark, Valvoline or its subsidiaries, registered in various countries	
887980	

**Product:** 

Remarks : Vapours may cause irritation to the eyes, respiratory system

and the skin.

Components:

**DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC:** 

Result : Slight, transient irritation
Assessment : Slight, transient irritation

**DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:** 

Result : No eye irritation
Assessment : No eye irritation

Reaction product of: polyethylene-polyamine-(C16-C18)-alkylamides with monothio-(C2)-

alkyl phosphonates:

Result : Irritating to eyes.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks : May cause allergic skin reaction.

Components:

Reaction product of: polyethylene-polyamine-(C16-C18)-alkylamides with monothio-(C2)-

alkyl phosphonates:

Assessment : The product is a skin sensitiser, sub-category 1A.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

**Components:** 

**DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:** 

Carcinogenicity - : Classified based on DMSO extract content < 3% (Regulation

Assessment (EC) 1272/2008, Annex VI, Part 3, Note L)

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Valvoline.	Page: 10
SAFETY DATA SHEET	Revision Date: 06/10/2019
	Print Date: 9/18/2019
	SDS Number: 000000182681
Syn Gard™ SYNTHETIC AUTOMATIC TRANSMISSION FLUID ES	Version: 1.10
™ Trademark, Valvoline or its subsidiaries, registered in various	
countries	
887980	

# Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

**Aspiration toxicity** 

Not classified based on available information.

**Components:** 

DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC:

May be fatal if swallowed and enters airways.

**DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:** 

No aspiration toxicity classification

**Further information** 

Product:

Remarks : No data available

# **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Product:** 

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

: Acute aquatic toxicity Category 3; Harmful to aquatic life.

Long-term (chronic) aquatic

hazard

: Chronic aquatic toxicity Category 3; Harmful to aquatic life

with long lasting effects.

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Toxicity to fish : LL50 (Fish): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EL50 (Aquatic invertebrates): > 10,000 mg/l

Exposure time: 48 h

Toxicity to algae : EL50 (Algae, algal mat (Algae)): > 100 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic

toxicity)

: NOEC (Fish): 10 mg/l

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: NOEC (Aquatic invertebrates): 10 mg/l

Page: 11
Revision Date: 06/10/2019
Print Date: 9/18/2019
SDS Number: 000000182681
Version: 1.10

**Ecotoxicology Assessment** 

Short-term (acute) aquatic

hazard

: Not classified based on available information.

Long-term (chronic) aquatic

hazard

: Not classified based on available information.

Reaction product of: polyethylene-polyamine-(C16-C18)-alkylamides with monothio-(C2)-alkyl

phosphonates:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l

Test Type: static test

Toxicity to daphnia and other

aquatic invertebrates

: EC50: 56.7 mg/l Exposure time: 48 h

Toxicity to algae : EC50: 22 mg/l

End point: Growth inhibition

Exposure time: 72 h

NOEC: 5 mg/l

End point: Growth inhibition

Exposure time: 72 h

# Persistence and degradability

Reaction product of: polyethylene-polyamine-(C16-C18)-alkylamides with monothio-(C2)-alkyl

phosphonates:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 28.4 % Exposure time: 28 d

No data available

Bioaccumulative potential

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Partition coefficient: n- : log Pow: Expected > 7

octanol/water

Reaction product of: polyethylene-polyamine-(C16-C18)-alkylamides with monothio-(C2)-alkyl

phosphonates:

Partition coefficient: n- : log Pow: > 6.5 (20 °C)

octanol/water

No data available

Mobility in soil

No data available

Other adverse effects

No data available

**Product:** 

Additional ecological : An environmental hazard cannot be excluded in the event of

Valvoline.	Page: 12
SAFETY DATA SHEET	Revision Date: 06/10/2019
	Print Date: 9/18/2019
	SDS Number: 000000182681
Syn Gard™ SYNTHETIC AUTOMATIC TRANSMISSION FLUID ES ™ Trademark, Valvoline or its subsidiaries, registered in various	Version: 1.10
countries 887980	

information unprofessional handling or disposal., Harmful to aquatic life

with long lasting effects.

### **SECTION 13. DISPOSAL CONSIDERATIONS**

### Disposal methods

General advice : Dispose of in accordance with all applicable local, state and

federal regulations.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

## **SECTION 14. TRANSPORT INFORMATION**

## **International Regulations**

#### **UNRTDG**

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

## **IMDG-Code**

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

## **49 CFR**

Not regulated as a dangerous good

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

# **SECTION 15. REGULATORY INFORMATION**

Valvoline.	Page: 13
SAFETY DATA SHEET	Revision Date: 06/10/2019
	Print Date: 9/18/2019
	SDS Number: 000000182681
Syn Gard™ SYNTHETIC AUTOMATIC TRANSMISSION FLUID ES	Version: 1.10
™ Trademark, Valvoline or its subsidiaries, registered in various countries	
887980	

# **EPCRA - Emergency Planning and Community Right-to-Know Act**

## **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
XYLENE	1330-20-7	100	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

# SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
SULFUR DIOXIDE	7446-09-5	500	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards : Respiratory or skin sensitisation

### California Prop. 65

This product contains a chemical that is at or below California Propositions 65's "safe harbor level" for carcinogenicity as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

This product contains a chemical that is at or below California Propositions 65's "safe harbor level" for reproductive/developmental toxicity as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

# The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIOC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On TSCA Inventory

# **TSCA list**

No substances are subject to TSCA 12(b) export notification requirements.

**Inventories** 


Page: 14
Revision Date: 06/10/2019
Print Date: 9/18/2019
SDS Number: 000000182681
Version: 1.10

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

### **SECTION 16. OTHER INFORMATION**

### **Further information**

Revision Date: 06/10/2019



# NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

## **Full text of H-Statements**

H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation.

H315 Causes skin irritation. H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

Sources of key data used to compile the Safety Data Sheet Valvoline internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department (1-800-VALVOLINE).

Valvoline.	Page: 15
SAFETY DATA SHEET	Revision Date: 06/10/2019
	Print Date: 9/18/2019
	SDS Number: 000000182681
Syn Gard™ SYNTHETIC AUTOMATIC TRANSMISSION FLUID ES  ™ Trademark, Valvoline or its subsidiaries, registered in various countries 887980	Version: 1.10

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet:

ACGIH: American Conference of Industrial Hygienists

BEI: Biological Exposure Index

CAS: Chemical Abstracts Service (Division of the American Chemical Society).

CMR: Carcinogenic, Mutagenic or Toxic for Reproduction

FG: Food grade

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement: Hazard Statement

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization

ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

logPow: octanol-water partition coefficient

LCxx: Lethal Concentration, for xx percent of test population

LDxx: Lethal Dose, for xx percent of test population. ICxx: Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified

OECD: Organization for Economic Co-operation and Development

OEL: Occupational Exposure Limit
P-Statement: Precautionary Statement
PBT: Persistent, Bioaccumulative and Toxic

PPE: Personal Protective Equipment STEL: Short-term exposure limit STOT: Specific Target Organ Toxicity

TLV : Threshold Limit Value TWA : Time-weighted average

vPvB: Very Persistent and Very Bioaccumulative

WEL: Workplace Exposure Level

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

**DOT**: Department of Transportation

FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act HMIRC: Hazardous Materials Information Review Commission

HMIS: Hazardous Materials Identification System NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety and Health Administration

PMRA: Health Canada Pest Management Regulatory Agency

RTK: Right to Know

WHMIS: Workplace Hazardous Materials Information System

Valvoline.	Page: 16
SAFETY DATA SHEET	Revision Date: 06/10/2019
	Print Date: 9/18/2019
	SDS Number: 000000182681
Syn Gard™ SYNTHETIC AUTOMATIC TRANSMISSION FLUID ES	Version: 1.10
™ Trademark, Valvoline or its subsidiaries, registered in various countries 887980	