# Faultless Spray Starch - Aerosol

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Revision Date: 09/21/2015 Date of issue: 08/06/2015 9/12/16 Version: 1.0

## SECTION 1: IDENTIFICATION

### 1.1. Product Identifier

**Product Form:** Mixture

**Product Name:** Faultless Spray Starch - Aerosol (Heavy, Heavy Lemon, Heavy Lavender, Regular, Sizing Fabric Finish)

**Product Code:** 20722, 20706, 20708, 20737, 27722, 27708, 27737, 21706, 21725, 20505, 20520

*This document is intended to be used for safety in the workplace only, and is not a consumer document.

### 1.2. Intended Use of the Product

Fabric Finish

Faultless professional formula Heavy Starch Extra Crisp finish Lemon Scent

### 1.3. Name, Address, and Telephone of the Responsible Party

Faultless Starch/ Bon Ami Co.
1025 W 8th St.
Kansas City, MO 64101 USA
T: 1-816-842-1230
www.faultless.com

### 1.4. Emergency Telephone Number

**Emergency Number** : 1-703-527-3887 or 1-800-424-9300 (for emergencies) CHEMTREC

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

**Classification (GHS-US)**

Compressed gas H280

Full text of H-phrases: see section 16

### 2.2. Label Elements

**GHS-US Labeling**

**Hazard Pictograms (GHS-US)** :

GHS04

**Signal Word (GHS-US)** : Warning

**Hazard Statements (GHS-US)** : H280 - Contains gas under pressure; may explode if heated.

**Precautionary Statements (GHS-US)** : P410+P403 - Protect from sunlight. Store in a well-ventilated place.

### 2.3. Other Hazards

No additional information available.

### 2.4. Unknown Acute Toxicity (GHS-US) No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not applicable

### 3.2. Mixture

| Name | Product Identifier | % (w/w) |
|---|---|---|
| Butane | (CAS No) 106-97-8 | 1 - 5 |
| Propane | (CAS No) 74-98-6 | 0.5 - 1 |
| Isobutane | (CAS No) 75-28-5 | 0.1 - 1 |

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200]. A range of concentration as prescribed by the Controlled Products Regulations has been used where necessary, due to varying composition.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**Skin Contact:** Remove contaminated clothing. Gently wash with plenty of soap and water followed by rinsing with water for at least 15 minutes. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse.

**Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

**Ingestion:** Ingestion is not an anticipated route of exposure. If accidental ingestion occurs, flush mouth out with water and get medical attention.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**General:** None expected under normal conditions of use.

**Inhalation:** Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

**Skin Contact:** Prolonged exposure may cause skin irritation.

**Eye Contact:** Prolonged exposure to liquid may cause a mild irritation.

**Ingestion:** Not expected to be a primary route of exposure.

**Chronic Symptoms:** None expected under normal conditions of use.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Dry chemical powder, alcohol-resistant foam, carbon dioxide ($CO_2$).

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Contains gas under pressure; may explode if heated.

**Explosion Hazard:** Pressurized container: may burst if heated.

**Reactivity:** Stable at ambient temperature and under normal conditions of use.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Do not allow run-off from fire fighting to enter drains or water sources. Do not breathe fumes from fires or vapors from decomposition. Closed containers exposed to heat may explode. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon dioxide, carbon monoxide and low molecular weight hydrocarbons.

**Reference to Other Sections**

Refer to section 9 for flammability properties.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Avoid all unnecessary exposure. Do not breathe vapor, mist or spray.

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

### 6.2. Environmental Precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and Material for Containment and Cleaning Up

**For Containment:** Ventilate area.

**Methods for Cleaning Up:** Stop the source of the release, if safe to do so. Consider the use of water spray to disperse vapors. Isolate the area until gas has dispersed. Ventilate and gas test area before entering.

**Other information:** Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to Other Sections

See Section 8, Exposure Controls and Personal Protection. See Section 13, Disposal Considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Additional Hazards When Processed:** Do not puncture or incinerate container.

**Precautions for Safe Handling:** Keep away from heat, sparks, open flames, hot surfaces. – No smoking.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from Heat sources. Extremely high or low temperatures, Direct sunlight. Do not expose to temperatures exceeding 50°C/ 122°F. Keep in fireproof place. Protect from light.

**Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers. Water reactive materials. Halogens.

**Special Rules on Packaging:** Keep only in the original container.

### 7.3. Specific End Use(s)

Fabric Finish

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

| **Isobutane (75-28-5)** | | |
|---|---|---|
| **USA ACGIH** | ACGIH STEL (ppm) | 1000 ppm |
| **USA NIOSH** | NIOSH REL (TWA) (mg/m³) | 1900 mg/m³ |
| **USA NIOSH** | NIOSH REL (TWA) (ppm) | 800 ppm |
| **Manitoba** | OEL STEL (ppm) | 1000 ppm |
| **Newfoundland & Labrador** | OEL STEL (ppm) | 1000 ppm |
| **Nova Scotia** | OEL STEL (ppm) | 1000 ppm |
| **Ontario** | OEL TWA (ppm) | 800 ppm |
| **Prince Edward Island** | OEL STEL (ppm) | 1000 ppm |
| **Saskatchewan** | OEL STEL (ppm) | 1250 ppm |
| **Saskatchewan** | OEL TWA (ppm) | 1000 ppm |

| **Butane (106-97-8)** | | |
|---|---|---|
| **USA ACGIH** | ACGIH STEL (ppm) | 1000 ppm |
| **USA NIOSH** | NIOSH REL (TWA) (mg/m³) | 1900 mg/m³ |
| **USA NIOSH** | NIOSH REL (TWA) (ppm) | 800 ppm |
| **Alberta** | OEL TWA (ppm) | 1000 ppm |
| **British Columbia** | OEL STEL (ppm) | 750 ppm |
| **British Columbia** | OEL TWA (ppm) | 600 ppm |
| **Manitoba** | OEL STEL (ppm) | 1000 ppm |
| **New Brunswick** | OEL TWA (mg/m³) | 1900 mg/m³ |
| **New Brunswick** | OEL TWA (ppm) | 800 ppm |
| **Newfoundland & Labrador** | OEL STEL (ppm) | 1000 ppm |
| **Nova Scotia** | OEL STEL (ppm) | 1000 ppm |
| **Nunavut** | OEL STEL (mg/m³) | 2576 mg/m³ |
| **Nunavut** | OEL STEL (ppm) | 1000 ppm |
| **Nunavut** | OEL TWA (mg/m³) | 1901 mg/m³ |
| **Nunavut** | OEL TWA (ppm) | 800 ppm |
| **Northwest Territories** | OEL STEL (mg/m³) | 2576 mg/m³ |
| **Northwest Territories** | OEL STEL (ppm) | 1000 ppm |

| | | |
|---|---|---|
| **Northwest Territories** | OEL TWA (mg/m³) | 1901 mg/m³ |
| **Northwest Territories** | OEL TWA (ppm) | 800 ppm |
| **Ontario** | OEL TWA (ppm) | 800 ppm |
| **Prince Edward Island** | OEL STEL (ppm) | 1000 ppm |
| **Québec** | VEMP (mg/m³) | 1900 mg/m³ |
| **Québec** | VEMP (ppm) | 800 ppm |
| **Saskatchewan** | OEL STEL (ppm) | 1250 ppm |
| **Saskatchewan** | OEL TWA (ppm) | 1000 ppm |
| **Yukon** | OEL STEL (mg/m³) | 1600 mg/m³ |
| **Yukon** | OEL STEL (ppm) | 750 ppm |
| **Yukon** | OEL TWA (mg/m³) | 1400 mg/m³ |
| **Yukon** | OEL TWA (ppm) | 600 ppm |

| **Propane (74-98-6)** | | |
|---|---|---|
| **USA OSHA** | OSHA PEL (TWA) (mg/m³) | 1800 mg/m³ |
| **USA OSHA** | OSHA PEL (TWA) (ppm) | 1000 ppm |
| **USA NIOSH** | NIOSH REL (TWA) (mg/m³) | 1800 mg/m³ |
| **USA NIOSH** | NIOSH REL (TWA) (ppm) | 1000 ppm |
| **USA IDLH** | US IDLH (ppm) | 2100 ppm (10% LEL) |
| **Alberta** | OEL TWA (ppm) | 1000 ppm |
| **British Columbia** | OEL TWA (ppm) | 1000 ppm |
| **Ontario** | OEL TWA (ppm) | 1000 ppm |
| **Québec** | VEMP (mg/m³) | 1800 mg/m³ |
| **Québec** | VEMP (ppm) | 1000 ppm |
| **Saskatchewan** | OEL STEL (ppm) | 1250 ppm |
| **Saskatchewan** | OEL TWA (ppm) | 1000 ppm |

### 8.2. Exposure Controls

**Appropriate Engineering Controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Gas detectors should be used when flammable gases or vapors may be released. Ensure all national/local regulations are observed.

**Personal Protective Equipment:** Dust/aerosol mask. Safety glasses.



**Hand Protection:** None required under normal product handling conditions.

**Eye Protection:** Safety glasses.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

**Environmental Exposure Controls:** Avoid release to the environment.

**Consumer Exposure Controls:** Do not eat, drink or smoke during use

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

| | | |
|---|---|---|
| **Physical State** | : | Liquid |
| **Appearance** | : | Clear to hazy aerosol |
| **Odor** | : | Pleasant |
| **Odor Threshold** | : | Not available |
| **pH** | : | ≈ 6.5 |
| **Evaporation Rate** | : | Not available |
| **Melting Point** | : | Not available |
| **Freezing Point** | : | Not available |

| | | |
|---|---|---|
| **Boiling Point** | : | 100 °C (212 °F) |
| **Flash Point** | : | Not available |
| **Auto-ignition Temperature** | : | Not available |
| **Decomposition Temperature** | : | Not available |
| **Flammability (solid, gas)** | : | Not available |
| **Lower Flammable Limit** | : | Not available |
| **Upper Flammable Limit** | : | Not available |
| **Vapor Pressure** | : | Not available |
| **Relative Vapor Density at 20 °C** | : | Not available |
| **Relative Density** | : | Not available |
| **Specific Gravity** | : | 1.008 g/ml |
| **Solubility** | : | Water: 95 - 96% |
| **Partition Coefficient: N-Octanol/Water** | : | Not available |
| **Viscosity** | : | Not available |
| **Explosive Properties** | : | Pressurized container: may burst if heated |
| **Explosion Data – Sensitivity to Mechanical Impact** | : | Not expected to present an explosion hazard due to mechanical impact. |
| **Explosion Data – Sensitivity to Static Discharge** | : | Not expected to present an explosion hazard due to static discharge. |

## SECTION 10: STABILITY AND REACTIVITY

**10.1. Reactivity:** Stable at ambient temperature and under normal conditions of use.

**10.2. Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).

**10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**10.4. Conditions to Avoid:** Ignition sources. Incompatible materials. Heat. Sparks. Open flame. Overheating.

**10.5. Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers. Water reactive materials. Halogens.

**10.6. Hazardous Decomposition Products:** Thermal decomposition generates: Carbon oxides (CO, $CO_2$). Low molecular weight hydrocarbon fragments.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on Toxicological Effects - Product

**Acute Toxicity:** Not classified

**LD50 and LC50 Data:** Not available

**Skin Corrosion/Irritation:** Not classified

**pH:** ≈ 6.5

**Serious Eye Damage/Irritation:** Not classified

**pH:** ≈ 6.5

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Teratogenicity:** Not available

**Carcinogenicity:** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

**Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation.

**Symptoms/Injuries After Eye Contact:** Prolonged exposure to liquid may cause a mild irritation.

**Symptoms/Injuries After Ingestion:** Not expected to be a primary route of exposure.

**Chronic Symptoms:** None expected under normal conditions of use.

### 11.2. Information on Toxicological Effects - Ingredient(s)

**LD50 and LC50 Data:**

| Isobutane (75-28-5) | |
|---|---|
| LC50 Inhalation Rat | 658 mg/l/4h |
| LC50 Inhalation Rat | 11000 ppm |
| **Butane (106-97-8)** | |
| LC50 Inhalation Rat | 30957 mg/m³ (Exposure time: 4 h) |
| **Propane (74-98-6)** | |
| LC50 Inhalation Rat | 658 mg/l/4h |

## SECTION 12: ECOLOGICAL INFORMATION

**12.1. Toxicity** No additional information available

**12.2. Persistence and Degradability** Not available

**12.3. Bioaccumulative Potential**

| Isobutane (75-28-5) | |
|---|---|
| BCF Fish 1 | 1.57 - 1.97 |
| Log Pow | 2.88 (at 20 °C) |
| **Butane (106-97-8)** | |
| Log Pow | 2.89 |
| **Propane (74-98-6)** | |
| Log Pow | 2.3 |

**12.4. Mobility in Soil** Not available

**12.5. Other Adverse Effects** Not available

## SECTION 13: DISPOSAL CONSIDERATIONS

**13.1. Waste treatment methods**

**Sewage Disposal Recommendations:** Do not empty into drains; dispose of this material and its container in a safe way.

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

**Additional Information:** Do not pressurize, cut, or weld containers.

## SECTION 14: TRANSPORT INFORMATION

**14.1. In Accordance with DOT**

**Proper Shipping Name** : AEROSOLS, NON-FLAMMABLE (each not exceeding 1 L capacity)
**Hazard Class** : 2.2
**Identification Number** : UN1950
**Label Codes** : 2.2



**ERG Number** : 126

Shipped under 49 CFR, Packaging Exception 173.306 - Consumer Commodities, Limited Quantities of Compressed Gases

**14.2. In Accordance with IMDG**

**Proper Shipping Name** : AEROSOLS, NON-FLAMMABLE
**Hazard Class** : 2
**Division** : 2.2
**Identification Number** : UN1950
**Label Codes** : 2.2
**EmS-No. (Fire)** : F-D
**EmS-No. (Spillage)** : S-U

**MFAG Number** : 126

**14.3. In Accordance with IATA**

**Proper Shipping Name** : AEROSOLS, NON-FLAMMABLE
**Identification Number** : UN1950
**Hazard Class** : 2
**Label Codes** : 2.2

**Division** : 2.2
**ERG Code (IATA)** : 2L

### 14.4. In Accordance with TDG

**Proper Shipping Name** : AEROSOLS, NON-FLAMMABLE
**Hazard Class** : 2.2
**Identification Number** : UN1950
**Label Codes** : 2.2

## SECTION 15: REGULATORY INFORMATION

### 15.1. US Federal Regulations

| **Faultless Spray Starch - Aerosol** | |
|---|---|
| **SARA Section 311/312 Hazard Classes** | Sudden release of pressure hazard |

| **Isobutane (75-28-5)** |
|---|
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |

| **Butane (106-97-8)** |
|---|
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |

| **Propane (74-98-6)** |
|---|
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |

### 15.2. US State Regulations

| **Isobutane (75-28-5)** |
|---|
| U.S. - Delaware - Accidental Release Prevention Regulations - Sufficient Quantities |
| U.S. - Delaware - Accidental Release Prevention Regulations - Threshold Quantities |
| U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities |
| U.S. - Maine - Chemicals of High Concern |
| U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1 |
| U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2 |
| U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity |
| U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1 |
| U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2 |
| RTK - U.S. - Massachusetts - Right To Know List |
| U.S. - Minnesota - Chemicals of High Concern |
| U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances |
| U.S. - New Jersey - Environmental Hazardous Substances List |
| RTK - U.S. - New Jersey - Right to Know Hazardous Substance List |
| U.S. - New Jersey - Special Health Hazards Substances List |
| U.S. - New Jersey - TCPA - Extraordinarily Hazardous Substances (EHS) |
| U.S. - Ohio - Accidental Release Prevention - Threshold Quantities |
| RTK - U.S. - Pennsylvania - RTK (Right to Know) List |
| U.S. - Texas - Effects Screening Levels - Long Term |
| U.S. - Texas - Effects Screening Levels - Short Term |

| **Butane (106-97-8)** |
|---|
| U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min) |
| U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr) |
| U.S. - Delaware - Accidental Release Prevention Regulations - Sufficient Quantities |
| U.S. - Delaware - Accidental Release Prevention Regulations - Threshold Quantities |
| U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities |
| U.S. - Maine - Chemicals of High Concern |
| U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1 |
| U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2 |
| U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity |
| U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1 |

U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2
RTK - U.S. - Massachusetts - Right To Know List
U.S. - Michigan - Occupational Exposure Limits - TWAs
U.S. - Minnesota - Chemicals of High Concern
U.S. - Minnesota - Hazardous Substance List
U.S. - Minnesota - Permissible Exposure Limits - TWAs
U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances
U.S. - New Jersey - Environmental Hazardous Substances List
RTK - U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - New Jersey - Special Health Hazards Substances List
U.S. - New Jersey - TCPA - Extraordinarily Hazardous Substances (EHS)
U.S. - New York - Occupational Exposure Limits - TWAs
U.S. - Ohio - Accidental Release Prevention - Threshold Quantities
U.S. - Oregon - Permissible Exposure Limits - TWAs
RTK - U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Tennessee - Occupational Exposure Limits - TWAs
U.S. - Texas - Effects Screening Levels - Long Term
U.S. - Texas - Effects Screening Levels - Short Term
U.S. - Vermont - Permissible Exposure Limits - TWAs
U.S. - Washington - Permissible Exposure Limits - STELs
U.S. - Washington - Permissible Exposure Limits - TWAs

**Propane (74-98-6)**

U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min)
U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr)
U.S. - Delaware - Accidental Release Prevention Regulations - Sufficient Quantities
U.S. - Delaware - Accidental Release Prevention Regulations - Threshold Quantities
U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities
U.S. - Idaho - Occupational Exposure Limits - TWAs
U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1
U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2
U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity
U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1
U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2
RTK - U.S. - Massachusetts - Right To Know List
U.S. - Michigan - Occupational Exposure Limits - TWAs
U.S. - Minnesota - Hazardous Substance List
U.S. - Minnesota - Permissible Exposure Limits - TWAs
U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances
U.S. - New Jersey - Environmental Hazardous Substances List
RTK - U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - New Jersey - Special Health Hazards Substances List
U.S. - New Jersey - TCPA - Extraordinarily Hazardous Substances (EHS)
U.S. - New York - Occupational Exposure Limits - TWAs
U.S. - Ohio - Accidental Release Prevention - Threshold Quantities
U.S. - Oregon - Permissible Exposure Limits - TWAs
RTK - U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Tennessee - Occupational Exposure Limits - TWAs
U.S. - Texas - Effects Screening Levels - Long Term
U.S. - Texas - Effects Screening Levels - Short Term
U.S. - Vermont - Permissible Exposure Limits - TWAs
U.S. - Washington - Permissible Exposure Limits - STELs
U.S. - Washington - Permissible Exposure Limits - TWAs

### 15.3. Canadian Regulations

| **Faultless Spray Starch - Aerosol** | |
|---|---|
| WHMIS Classification | Class A - Compressed Gas |

| **Isobutane (75-28-5)** | |
|---|---|
| Listed on the Canadian DSL (Domestic Substances List) | |
| WHMIS Classification | Class A - Compressed Gas<br>Class B Division 1 - Flammable Gas |

| **Butane (106-97-8)** | |
|---|---|
| Listed on the Canadian DSL (Domestic Substances List)<br>Listed on the Canadian IDL (Ingredient Disclosure List) | |
| IDL Concentration 1 % | |
| WHMIS Classification | Class A - Compressed Gas<br>Class B Division 1 - Flammable Gas |

| **Propane (74-98-6)** | |
|---|---|
| Listed on the Canadian DSL (Domestic Substances List) | |
| WHMIS Classification | Class A - Compressed Gas<br>Class B Division 1 - Flammable Gas |

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** : 09/21/2015

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

**GHS Full Text Phrases:**

| | |
|---|---|
| Compressed gas | Gases under pressure Compressed gas |
| H280 | Contains gas under pressure; may explode if heated |

**Party Responsible for the Preparation of This Document**

Faultless Starch/ Bon Ami Co.: 1-816-842-1230 (for product information); 1-800-424-9300 (for emergencies)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

NA GHS SDS